T.8 USING THE INVOICE FOR BILLING AND FOR DEBIT AND CREDIT NOTES

SECTION T.8 IS TO BE REGARDED AS PROVISIONAL: A FULL REVISION WILL BE ISSUED EARLY IN 1998.

T.8.1 PRINCIPLES

The INVOIC message may be used for the following applications:

- (a) To send an invoice from a supplier to a customer. The invoice may also act as a notification that the invoiced items have been or are being despatched to the customer, or a separate despatch advice message (DESADV) may have been sent previously.
- (b) To send a debit note from a customer to a supplier. A debit note may be sent to claim a credit against an invoice in respect of missing or damaged goods or because goods are being returned.
- (c) To send a credit note from a supplier to a customer. A credit note may be sent to confirm a credit which the customer has claimed by a debit note, or in respect of invoice discrepancies which have been notified by non-EDI means.

[Other applications supported by the EDIFACT message but not yet fully documented in these *Guidelines* include consolidated invoices, prepayment invoices, and self-billed invoices.]

These *Guidelines* therefore apply to an INVOIC message which corresponds to a single shipment of goods, either from supplier to customer, or from customer to supplier in the case of a return for credit.

In book supply, INVOIC messages may cover order lines which were originally sent in different order messages on a wide range of different dates. For this reason it is a fundamental principle that individual invoice lines should be wholly self-contained and should carry a unique reference to the original order line. Information about the despatch to which the invoice corresponds is, however, sent at message level, not at line level.

An INVOIC message may be sent as an original invoice, credit note or debit note with the same legal and tax significance as the corresponding paper document, or it may be sent as an electronic copy of a paper original, sent by EDI in order that the customer can take the relevant data straight into his own computer system without re-keying.

For an INVOIC message to be treated as an original document, the tax authorities in the country or countries concerned must have authorised the message formats for this purpose and are likely to have laid down conditions which must be met by the sending and receiving parties. These conditions cannot be covered in EDItEUR *Guidelines*. Organisations intending to implement EDI invoices must check with their own tax administration. However, it is possible to benefit from an EDI transfer of invoice content while continuing to send paper invoices for legal and tax purposes. In this case the EDI messages must be labelled as "copies" in BGM DE 1225.

These *Guidelines* cover only a "copy" invoice which is not a legal or tax document, though it includes details of any tax which is chargeable on the transaction.

T.8.2 CONTENT

The key elements of content in the INVOIC message are:

- (a) A unique identification of the order line to which the invoiced item refers, or of the invoice line in the case of a debit or credit item.
- (b) A unique identification of the ordered title.
- (c) If required, a brief description of the title. Full bibliographic detail is not carried in an INVOIC message.
- (d) The quantity invoiced, or credited, or for which a credit is claimed.
- (e) The unit price or prices (eg publisher's list price in the original currency, and its equivalent in the invoicing currency), the extended line value, any allowances or charges, and any applicable taxes.
- (f) References for the line item.

T.8.2.1 Identification of the order and/or invoice line

Each invoice line item must contain a reference to the customer's unique order line number which was sent in the ORDERS message in RFF segment 51, DE 1154, code LI.

Each debit or credit note line must contain a reference to the invoice line to which it refers, and should also contain the related order reference.

T.8.2.2 Identification of the invoiced title

Each title listed in an INVOIC message should be identified exactly as in the buyer's order line, except that if the order line did not include an ISBN or other product code, the supplier should if possible add it to the invoice line.

T.8.2.3 Description of the title

Given the unique identification defined above, there should be no need to carry title description in an INVOIC line. If so agreed between trading partners, however, up to 10 repeats of IMD segment 35 may be used to carry a short bibliographic description.

T.8.2.4 Quantity invoiced/credited/returned for credit

The applicable quantity or quantities for the line item must be stated in QTY segment 37, DE 6060.

T.8.2.5 Price and line value

To be added

T.8.2.6 References in an INVOIC message

The essential references in an INVOIC line are the buyer's unique identification of the order line to which it relates, and (for debit or credit notes) the invoice line number against which a debit or credit is made. This must be given in RFF segment 48, DE 1154, coded LI in DE 1153. The supplier may also send a supplier's order line reference, coded SLI in DE 1153.

If the order was based on a QUOTES message, a reference to the quotation line may be given in a similar way, with the code QLI in DE 1153.

A library fund number may be referenced with the code BFN in DE 1153.

If the message is an invoice accompanying a despatch on approval, a reference to the related QUOTES message should be given in RFF segment 7, DE 1154, coded AAG in DE 1153. Individual quotation line references may also be given in RFF segment 48.

T.8.3 CURRENCY IN EDI INVOICES

Three types of currency may be specified in an EDI invoice for book supply:

- (a) The invoicing currency, in which a unit price for each item must be stated, and all other monetary amounts in the invoice must be shown, with the two exceptions detailed in (b) and (c) below. The invoicing currency should be specified in CUX segment 16.
- (b) A pricing currency, where the supplier's unit price for invoicing is based on an original price in a different currency. A unit price in a currency other than the invoicing currency must be shown in MOA segment 42. The exchange rate from the pricing currency to the invoicing currency may be shown in a repeat of CUX segment 16. (This is a less satisfactory mechanism than the PRI-CUX segment pair which exists at line level in QUOTES, ORDERS etc, and EDItEUR has submitted a change request to add the same functionality to the INVOIC; but this requires an EDIFACT change, and will not be available in the present EANCOM/EDItEUR release.)
- (c) An alternative payment currency, if required. The only amount which should be stated in an alternative payment currency is the final total amount which the invoicee is expected to pay, in MOA segment 72. The alternative payment currency, if any, should be specified along with the invoicing currency in a single occurrence of CUX segment 16, where the exchange rate from the invoicing currency can also be shown.

T.8.4 EDIFACT DIRECTORY

The version of the invoice message adopted by EDItEUR is EANCOM INVOIC Version 008, taken from the 1997 release of the EANCOM message set, based on EDIFACT Directory D.96A.

T.8.5 MESSAGE STRUCTURE

The structure of the invoice message as used for this application is depicted below:

HEADER
One per message
UNH BGM DTM RFF-DTM NAD-RFF TAX
CUX PAT-DTM ALC-PCD-MOA-TAX

DETAIL

Invoice line
Repeated as required
LIN PIA IMD QTY ALI MOA PRI
RFF TAX ALC-PCD-MOA-RTE-TAX

SUMMARY
One per message
UNS CNT MOA-RFF-DTM TAX-MOA
ALC-MOA UNT

The **header** section specifies the message type, gives the message a unique identification and date, carries any general references, names the sender and addressee, and may give tax, currency and charging detail which applies to the invoice as a whole.

The **detail** section consists of a group of fourteen segments which together constitute a single invoice line. The LIN segment carries the line sequence number within the message. The PIA segment carries product codes other than EAN numbers. The IMD segment may carry a brief text description of the invoiced item. The QTY segment gives the invoiced quantity. The ALI segment may give coded information required by tax authorities. The MOA segment gives a line value for tax calculation. The PRI segment states the price on which the invoice line is based. The RFF segment carries references specific to the line item. The first TAX segment specifies tax which applies to the line item; and the ALC- segment group details charges or allowances at line level.

The **summary** section carries control totals and repeats the unique identification of the message for purposes of integrity checking. It also carries various summary figures required for tax calculation, as well as the final total to be paid by the invoicee.

T.8.6 EXAMPLE OF A BOOK INVOICE MESSAGE

To be added

T.8.7 INVOICE MESSAGE SUBSET FOR BOOK INVOICES AND CREDIT NOTES

| 1 | UNH MESSAGE HEADER | | | One mandatory occurrence per message |
|---------------|---------------------------|---|------|---|
| + 0062 | Message reference no | М | an14 | Sender's unique message reference. By convention, incorporates a sequence number of the message within the interchange. |
| S009 | MESSAGE IDENTIFIER | M | | |
| + 0065 | Message type identifier | M | an6 | INVOIC = invoice |
| : 0052 | Message type version no | M | an3 | D |
| : 0054 | Message type release no | M | an3 | 96A = EDIFACT Directory D.96A |
| : 0051 | Controlling agency | M | an2 | UN = agency responsible |
| : 0057 | Association assigned code | M | an6 | EANOO8 = EAN version number |
| + 0068 | Common access reference | Ν | | Not used in EANCOM |
| + S010 | Status of the transfer | N | | Not used in EANCOM |

Orders to Invoices: INVOIC, Status 3

Example:
UNH+ME050123+INVOIC:D:96A:UN:EAN008'

| COO2 DOCUMENT/MESSAGE NAME + 1001 Document/message code M an3 380 = invoice 381 = credit note 383 = debit note 1131 Code list qualifier N Not used in EANCOM Not used in this application | |
|---|--|
| · | |
| : 1000 Document/message name O an35 Optional, since the message type is fully identified by tl + 1004 Document/message number M an35 Invoice number assigned by document sender: mandato | |

/continued

2 BGM BEGINNING OF MESSAGE (continued)

| 1225 | Message function, code | d M | an2 | Mandator | y in EANCOM |
|------|------------------------|-----|-----|----------|-------------|
| | mossage ramonem pour | | a | manacon | ,, |

43 = additional transmission: an EDI copy of an invoice/credit note/debit note sent also in paper form, the latter being the authoritative document for legal and tax purposes; or an EDI debit note sent to claim a credit when the authoritative document for tax accounting will be the supplier's subsequent credit note

Orders to Invoices: INVOIC. Status 3

Example:

BGM+380+9701234'

Invoice number 9701234

| 3 | | DATE/TIME/PERIOD |
|----|----------------|------------------|
| | | |
| .) | <i>D</i> 1 101 | |

One mandatory occurrence per message, to give the message date. A second occurrence may also be mandatory in VAT invoices and debit or credit notes, to give the tax point date when the INVOIC message is a tax document. Inclusion of the tax point date is mandatory in the UK even when it is the same as the invoice date.

| | C507 | DATE/TIME/PERIOD | M | | |
|---|------|------------------------------|---|------|-------------------------------------|
| + | 2005 | Date/time/period qualifier | M | an3 | 131 = tax point date (CCYYMMDD) |
| | | | | | 137 = message date (CCYYMMDD) |
| : | 2380 | Date/time/period | M | an35 | Date in the prescribed format |
| : | 2379 | Date/time/period format code | M | an3 | 102 = code for CCYYMMDD date format |
| | | | | | |

Example:

DTM+137:19960920:102'

Message date 20 September 1996

Segments 4 to 6 (PAI, ALI, FTX) are not used in this application

SG01 RFF-DTM

Segment group SG01: optionally, up to ten occurrences per message, giving references for the message as a whole.

7 RFF REFERENCE

One mandatory occurrence per repeat of SG01

| C506 | REFERENCE | М | | |
|--------|--------------------------|---|------|--|
| + 1153 | Reference qualifier | М | an3 | Codes for this application are to be defined |
| : 1154 | Reference number | M | an35 | |
| : 1156 | Line number | N | | Not used in EANCOM |
| : 4000 | Reference version number | N | | Not used in EANCOM |

Example:

RFF+??:??????'

8 DTM_DATE/TIME/PERIOD

One optional occurrence per repeat of SG01, to give the date of the reference

| | C507 | DATE/TIME/PERIOD | M | | |
|---|------|------------------------------|---|------|-------------------------------------|
| + | 2005 | Date/time/period qualifier | M | an3 | 171 = reference date (CCYYMMDD) |
| : | 2380 | Date/time/period | M | an35 | Date in the prescribed format |
| : | 2379 | Date/time/period format code | M | an3 | 102 = code for CCYYMMDD date format |

Example:

DTM+171:19960920:102'

Reference date 20 September 1996

SG02 NAD-SG03-SG05

Each occurrence of SG02 identifies a party to the transaction and may give other linked information. In this application, there will be two mandatory occurrences per message, to show buyer and supplier, and up to two additional occurrences to show the invoicee and payee if these are different from the buyer and supplier.

| 9 | NAD NAME AND ADDRESS | | | One mandatory occurrence per repeat of segment group SG02 |
|------------------|--------------------------------|---|------------|---|
| + 3035 | Party qualifier | M | an3 | BY = buyer IV = invoicee, if other than buyer PE = payee, if other than supplier SU = supplier |
| C082 | PARTY IDENTIFICATION | D | | Recommended practice is to use coded identification only, preferably an EAN code |
| + 3039 | Party identification code | D | an17 | EAN location code - format n13; or other mutually agreed code |
| : 1131 | Code list qualifier | Ν | | Not used in EANCOM |
| : 3055 | Code list responsible agency | D | an3 | 9 = EAN |
| | | | | 22B = Börsenverein des Deutschen Buchhandels (for Verkehrsnummer) (EDItEUR code) |
| | | | | 31B = US SBN Agency (for US-assigned book trade SANs) (EDITEUR code) |
| | | | | 32B = UK SBN Agency (for UK-assigned book trade SANs) (EDITEUR code) |
| | | | | 91 = Assigned by supplier |
| | | | | 92 = Assigned by buyer |
| + C058 | NAME AND ADDRESS | N | | Composite C058 is not used in EANCOM |
| C080 | PARTY NAME | D | | Name and address are sent as structured text only if no ID code is used (DE 3039) |
| + 3036 | Party name | D | an35 | Party name in clear text |
| : 3036 | Party name | D | an35 | Continuation lines if required |
| : 3036 | Party name | D | an35 | |
| : 3036 | Party name | D | an35 | |
| : 3036 | Party name | D | an35 | |
| : 3045 | Name format, coded | N | an3 | |
| C059 | STREET | D | 25 | Dellation are an electrical and a second state of a second state of a second state of the second state of |
| + 3042 | Street & number/P O Box | D | an35 | Building name and/or number and street name, and/or P O Box number |
| : 3042 | Street & number/P O Box | D | an35 | Continuation lines if required |
| : 3042 | | D | an35 | City or town name in clear toyt |
| + 3164 | City name | D | an35 | City or town name in clear text |
| + 3229 + 3251 | Country sub-entity ID Postcode | D | an9 an9 | County, state, province in clear text Postal code |
| | | D | an9 an3 | |
| + 3207 | Country, coded | D | ۵۱۱۵ | ISO 3166 two-alpha code |

/continued

9 NAD NAME AND ADDRESS (continued)

Example:

NAD+BY+5034567876543::9'NAD+SU+5098765432189::9'

Buyer and supplier identified by EAN location numbers

Segment 10 (FII) is not used in this application

SG03 RFF Segment group SG03: EANCOM uses only the RFF segment

11 RFF REFERENCE

One occurrence per segment group SG02 gives the VAT or other tax registration number of the party named in the linked NAD segment, where required as part of the invoice. In UK practice, this is not required if it is given in an accompanying TAXCON message.

Orders to Invoices: INVOIC. Status 3

| C506 | REFERENCE | M |
|------|---------------|-----|
| 0300 | IVEL FIVEINOE | 171 |

+ 1153 Reference qualifier M an...3 VA = VAT registration number

: 1154 Reference number M an..35

: 1156 Line number
 : 4000 Reference version number
 Not used in EANCOM
 Not used in EANCOM

Example:

Segments 12 to 15 (CTA-COM, TAX-MOA) (SG05 and SG06) are not used in this application. Note that the TAX-MOA segment pair (SG06), which is intended to allow the specification of tax which applies to the invoice as a whole, is excluded on the grounds that in book supply it is usually necessary to show tax calculations on individual line items and on any special charges. It is not sufficient to calculate them on the invoice as a whole.

SG07 CUX-DTM

Segment group SG07: only CUX segment 16 is used in this application

16 CUX CURRENCIES

Required in international trading, otherwise optional: one occurrence per message to show the currency of the invoice and, if applicable, an alternative payment currency and its exchange rate. Additional occurrences may be used to show the exchange rate between the invoicing currency and other currencies referred to in the invoice (eg where the invoiced price is derived from a publisher's price in another currency).

| C504 | CURRENCY DETAILS | Μ | | |
|--------|----------------------------|---|-----|---|
| + 6347 | Currency details qualifier | Μ | an3 | 2 = reference currency |
| : 6345 | Currency, code | M | an3 | ISO 4217 three-alpha code |
| : 6343 | Currency qualifier | M | an3 | 4 = invoicing currency |
| | | | | 10 = pricing currency |
| : 6348 | Currency rate base | Ν | | Not used in EANCOM |
| + C504 | CURRENCY DETAILS | D | | |
| + 6347 | Currency details qualifier | D | an3 | 3 = target currency |
| : 6345 | Currency, code | D | an3 | ISO 4217 three-alpha code |
| : 6343 | Currency qualifier | D | an3 | 4 = invoicing currency: use only when the first occurrence of DE 6343 = 10 |
| | | | | 11 = payment currency: use only when the first occurrence of DE 6343 = 4 |
| : 6348 | Currency rate base | Ν | | Not used in this application |
| + 5402 | Rate of exchange | D | n12 | Rate x reference currency = target currency: up to six integers and six places of |
| | | | | decimals, sent with an explicit decimal point and omitting non-significant zeros |
| + 6341 | Currency market exchange | N | | Not used in this application |
| | | | | |

Example:

CUX+2:GBP:4'
CUX+2:GBP:4+3:USD:11'
CUX+2:GBP:10+3:USD:4+1.54321'

Invoicing currency is pounds sterling

Invoicing currency is pounds sterling, alternative payment currency US dollars Invoicing currency is US dollars, and where pounds sterling appear as a pricing currency they are converted at one pound = 1.54321 US dollars

Segment 17 (DTM) is not used in this application

| Orders | to | Invoices: | INVOIC | Status 3 |
|--------|----|-----------|------------|----------|
| Orucis | w | minutes. | III V OIC. | วเลเนร ว |

| SG08 | PAT-DTM-PCD-MOA | | | Segment group SG08: one occurrence of this segment group may be used to specify the payment terms which apply to the whole invoice. | | |
|--------|-----------------------------|---|-----|--|--|--|
| 18 | PAT PAYMENT TERMS BASIS | | | One occurrence may be used to specify the payment terms for the invoice. Note that in the present <i>Guidelines</i> no provision is made to specify a settlement discount. The due date for payment may be expressed either as a fixed date (using PAT and DTM segments) or a number of days after date of invoice (using PAT only). | | |
| + 4279 | Payment terms type | М | an3 | 1 = basic | | |
| + C110 | PAYMENT TERMS | Ν | | Composite C110 is not used in EANCOM | | |
| C112 | TERMS/TIME INFORMATION | D | | Composite C112 is used if terms are expressed as number of days after date of invoice. Do not use if DTM segment 19 is used. | | |
| + 2475 | Payment time reference code | M | an3 | 5 = date of invoice | | |
| : 2009 | Time relation, coded | M | an3 | 3 = after reference | | |
| : 2151 | Type of period, coded | M | an3 | D = day | | |
| | | | | | | |

Example:

PAT+1++5:3:D:60'

: 2152 Number of periods

Payment 60 days after date of invoice

Number of periods (days) for payment

19 DTM DATE/TIME/PERIOD

One occurrence per repeat of SG08 may be used to give the due date for payment if terms are expressed as a fixed date. Do not use if PAT composite C112 is used.

| | C507 | DATE/TIME/PERIOD | M | | |
|---|------|------------------------------|---|------|-------------------------------------|
| + | 2005 | Date/time/period qualifier | M | an3 | 13 = terms net due date (CCYYMMDD) |
| : | 2380 | Date/time/period | M | an35 | Date in the prescribed format |
| : | 2379 | Date/time/period format code | M | an3 | 102 = code for CCYYMMDD date format |

M n..3

Example:

DTM+13:19960920:102'

Due date 20 September 1996

Segments 20 (PCD) and 21 (MOA) are not used in this application

TDT+20+++:::Groupex'

| SG09 | TDT | | | Segment group SG09: only TDT segment 22 is used in EANCOM |
|--|--|----------------------------|-------------|---|
| 22 | TDT DETAILS OF TRANSPORT | | | One optional occurrence per message may be used to specify the shipping method for the despatch to which the invoice or debit note (for returns) refers. |
| + 8051 + 8028 + C220 | Transport stage qualifier Conveyance reference no MODE OF TRANSPORT | M N N | an3 | 20 = main carriage transport Not used in this application Composite C220 is not used in EDItEUR applications. Note that this composite is optional in EDIFACT but "required" in EANCOM. A change request has been |
| C228 + 8179 | TRANSPORT MEANS Type of means of transport ID | D D | an8 | submitted to EAN to make it optional in EANCOM. Composite C228 is used to specify a method of delivery. 25 = rail express 52 = mail express 31 = truck 53 = surface mail 34 = road parcel express 54 = accelerated surface mail 41 = air freight 55 = air mail 42 = surface air lifting 56 = printed matter/book post 43 = air express 101 = courier express 51 = parcel post |
| : 8178 C040 + 3127 : 1131 : 3055 : 3128 + 8101 + C401 + C222 | Type of means of transport CARRIER Carrier identification Code list qualifier Code list agency code Carrier name Transit direction, coded EXCESS TRANSPORTATION TRANSPORT IDENTIFICATION | D N N N D N | an17 n35 | Composite C040 is used only to specify a named carrier Not used in this application Not used in this application Not used in this application Not used in this application Composite C401 is not used in EANCOM Composite C222 is not used in this application |
| Example: | 0++41' | | | Shipment by air freight |

Orders to Invoices: INVOIC, Status 3

Sent by named carrier

Segments 23 to 25 (TOD-LOC, PAC) (SG12 and SG13) are not used in this application

| SG15 | ALC-SG17-SG18-SG19-SG20-SG21 | Each occurrence of segment group SG15 represents an allowance or charge applied to |
|------|------------------------------|--|
| | | the invoice as a whole. The allowance or charge may be stated as (a) a percentage of |
| | | the invoice value, using PCD segment 28, or (b) a fixed monetary amount for the |
| | | invoice, using MOA segment 29. There can be a maximum of 15 occurrences of |

segment group SG15 per invoice message.

In practice SG15 should normally be used to specify a fixed monetary charge, such as a delivery charge, which applies to the invoice as a whole.

Orders to Invoices: INVOIC. Status 3

ALC ALLOWANCE OR CHARGE 26

One mandatory occurrence per segment group SG15, defining the reason for the allowance or charge and, if necessary, the method of calculation

| + 5463 | Allowance or charge qualifier | Ma | an3 | A = allowance C = charge |
|--------|----------------------------------|----|------|--|
| + C552 | ALLOWANCE/CHARGE INFO | Ν | | Composite C552 is not used in this application |
| + 4471 | Settlement, coded | Ν | | Not used in this application |
| + 1227 | Calculation sequence code | D | an3 | 1, 2, 3, 9 = first, second, third, ninth step of calculation: use only if there are multiple allowances or charges such that a sequence must be specified to avoid ambiguity |
| C214 | SPECIAL SERVICES ID | | M | Mandatory in this application |
| + 7161 | Special service code | M | an3 | Charge types: codes to be defined Discount/allowance types: codes to be defined |
| : 1131 | Code list qualifier | D | an3 | Usage to be defined |
| : 3055 | Code list agency code | D | an3 | Usage to be defined |
| : 7160 | Special service | D | an35 | Free text description: usage to be defined |

Example:

Charge for ????? ALC+C++++??'

Segment 27 (QTY) (SG17) is not used in this application

PCD PERCENTAGE DETAILS

Orders to Invoices: INVOIC, Status 3

| SG18 | PCD | Segment group SG18: only PCD segment 28 is used in EANO | COM |
|------|-----|---|-----|
| | | | |

One occurrence per segment group SG15 if an allowance or charge is specified as a percentage of the whole invoice value

| C501 | PERCENTAGE DETAILS | M | | |
|--------|----------------------|---|-----|-------------------------|
| + 5245 | Percentage qualifier | M | an3 | 3 = allowance or charge |
| : 5482 | Percentage | M | n8 | |

: 5249 Percentage basis, coded
 : 1131 Code list qualifier
 : 3055 Code list agency code
 N Not used in EANCOM
 Not used in EANCOM

Example:

28

PCD+3:12.5'

Allowance or charge is calculated as 12.5 percent of line item value

SG19 MOA Segment group SG19: only MOA segment 29 is used in EANCOM

29 MOA MONETARY AMOUNT One occurrence per segment group SG15 if an allowance or charge is specified as a fixed monetary amount

| C516 | MONETARY AMOUNT | М | | |
|--------|---------------------------|---|-----|--|
| + 5025 | Monetary amount qualifier | Μ | an3 | 8 = allowance or charge amount |
| : 5004 | Monetary amount | M | n18 | Actual monetary amount, in the format NN.DD, where NN is an integer of up to 14 digits and DD represents up to 4 decimal places. Non-significant zeros are not sent. |
| : 6345 | Currency, coded | N | | Not used in this application: all allowances and charges will be shown in the invoicing currency only |
| : 6343 | Currency qualifier | Ν | | Not used in this application |
| : 4405 | Status, coded | Ν | | Not used in EANCOM |

Example:

MOA+8:140' Allowance or charge amount is 140.00 in the invoicing currency

TAX+7+VAT++:::17.5+S'

ã Copyright EDItEUR 1998

Segment 30 (RTE) (segment group SG20) is not used in this application

| SG21 | TAX-MOA | | | | urrences per repeat of segment group SG15 may ion) applicable to the allowance or charge |
|--|--|-----------------------|---------------------------------|---|--|
| 31 | TAX DUTY/TAX/FEE DETAILS | | | One occurrence per repeat of segmen | t group SG21 to specify a tax type and rate |
| + 5283 | Duty/tax/fee function code DUTY/TAX/FEE TYPE Duty/tax/fee type code | M M M | an3 an3 | 7 = tax GST = goods and services tax IMP = import tax | |
| : 1131 : 3055 : 5152 + C533 C243 + 5279 : 1131 | Code list qualifier Code list agency code Duty/tax/fee type DUTY/TAX/FEE A/C DETAIL DUTY/TAX/FEE DETAIL Duty/tax/fee rate ID Code list qualifier | N N N D D | an7 an3 | VAT = value added tax Not used in this application Not used in this application Not used in this application Composite C533 is not used in this a Mandatory unless tax-exempt or tax r Defined at national or state level | • • |
| : 3055 : 5278 : 5273 : 1131 : 3055 + 5305 | Code list agency code Duty/tax/fee rate Duty/tax/fee rate basis ID Code list qualifier Code list agency code Duty/tax/fee category code | D M N N N | n3 an17 an12 an3 n3 | Stated as a percentage, eg 17.5 (up to Not used in this application Not used in this application Not used in this application Mandatory in the case of VAT E = exempt from tax G = export item, tax not charged | L = lower rate S = standard rate |
| + 3446 Example: | , | N | | H = higher rate Not used in this application | Z = zero-rated |

T-8-15

Allowance or charge carries tax at standard rate of 17.5 percent

Orders to Invoices: INVOIC, Status 3

98-03-31

| MOA MONETARY AMOUNT | | | One occurrence per segment group SG21 to give the amount of the tax specified in the linked TAX segment |
|---------------------------|--|--|--|
| MONETARY AMOUNT | M | | |
| Monetary amount qualifier | M | an3 | 124 = tax amount |
| Monetary amount | M | n18 | Actual monetary amount, in the format NN.DD, where NN is an integer of up to 14 digits and DD represents up to 4 decimal places. Non-significant zeros are not sent. |
| Currency, coded | N | | Not used in this application: all allowances and charges will be shown in the invoicing currency only |
| Currency qualifier | Ν | | Not used in this application |
| Status, coded | N | | Not used in EANCOM |
| | MONETARY AMOUNT Monetary amount qualifier Monetary amount Currency, coded Currency qualifier | MONETARY AMOUNT Monetary amount qualifier Monetary amount M Currency, coded N Currency qualifier N | MONETARY AMOUNT Monetary amount qualifier Monetary amount Monetary amount Monetary amount N Currency, coded N Currency qualifier N |

Example:

MOA+124:10.5'

Tax amount is 10.50 in the invoicing currency

LIN+6+++1:5'

Orders to Invoices: INVOIC. Status 3

Line no 6, sub-line linked to line 5

34 PIA ADDITIONAL PRODUCT ID

Unless the invoiced item is identified by an EAN article number in LIN segment 33, there must be one mandatory occurrence per invoice line (except sub-lines), coded 5 in DE 4347, to identify the product to which the line or sub-line refers. Additional occurrences, coded 1 on DE 4347 may be used to give additional identification codes for the invoiced item; or, coded 4 in DE 4347, to identify the item which was originally ordered if the invoiced item is a substitute.

| + 4347 | Product id function code | М | an3 | 1 = Additional identification |
|--------|--------------------------|---|------|--|
| | | | | 4 = Substituted for |
| | | | | 5 = product identification (ISBN or supplier's non-EAN product code) |
| C212 | ITEM NUMBER ID | Μ | | |
| + 7140 | Item number | M | an35 | Product code, normally ISBN |
| : 7143 | Item number type, coded | Μ | an3 | IB = ISBN |
| | | | | SA = supplier's article number |
| : 1131 | Code list qualifier | Ν | | Not used in EANCOM |
| : 3055 | Code list agency code | Ν | | Not used in this application |
| + C212 | ITEM NUMBER ID | Ν | | Further repeats of Composite C212 are not used, since no additional forms of coded |
| | | | | product |
| + C212 | ITEM NUMBER ID | Ν | | identification are required in this application |
| + C212 | ITEM NUMBER ID | Ν | | |
| + C212 | ITEM NUMBER ID | Ν | | |

Examples:

 PIA+5+0123456789:IB'
 ISBN

 PIA+5+0137653:SA'
 Supplier's product code 0137653

 PIA+4+0987654321:IB'
 Invoiced item supplied as substitute for ISBN 0987654321

| 35 | IMD ITEM DESCRIPTION | | | Optional: one occurrence may be used to give a brief description of the invoiced item. |
|----------|------------------------------|---|------|--|
| + 7077 | Item description type code | М | an3 | F = free-form |
| + 7081 | Item characteristic code | Μ | an3 | BST = short author/title description |
| C273 | ITEM DESCRIPTION | Μ | | |
| + 7009 | Item description id | Ν | | Coded description is not used in this application |
| : 1131 | Code list qualifier | Ν | | |
| : 3055 | Code list agency code | Ν | | |
| : 7008 | Item description | Μ | an35 | Descriptive data as free text |
| : 7008 | Item description | 0 | an35 | Continuation line if required |
| + 7383 | Surface layer indicator code | Ν | | Not used in EANCOM |
| | | | | |
| Example: | | | | |

Segment 36 (MEA) is not used in this application

IMD+F+BST+:::Williams/They came from SW19'

| 37 | QTY QUANTITY | | | One mandatory occurrence per invoice line (not sub-lines) to give the number of copies invoiced. |
|----------|------------------------|---|-----|--|
| C186 | QUANTITY DETAILS | М | | · |
| + 6063 | Quantity qualifier | М | an3 | 47 = invoiced quantity |
| : 6060 | Quantity | М | n15 | The quantity is sent as an integer, omitting non-significant zeros |
| : 6411 | Measure unit qualifier | N | | Not used in this application |
| Example: | | | | |
| QTY+4 | 7:1' | | | One copy invoiced |

| Orders i | to I | invoices: | INVOIC, | Status 3 |
|----------|------|-----------|---------|----------|
| | | | | |

| 38 | ALI ADDITIONAL INFORMATI | ION | One occurrence per line (not sub-lines) may be used to specify the type of sale. For ordinary sale, the segment is omitted. |
|------------------|---|--------|---|
| + 3239 + 9213 | Country of origin, coded Type of duty regime, coded | N N | Not used in this application Not used in this application |
| + 4183 | Special conditions, coded | M an3 | Mandatory if this segment is used: code values below are based on UK Customs Type of Supply codes B = hire purchase, conditional sale, credit sale or similar loan C = loan D = exchange E = hire, lease or rental F = process (making goods from another party's materials) G = sales on commission, eg by an auctioneer H = sale or return, or similar terms |
| + 4183 | Special conditions, coded | N | Not used in this application |
| + 4183 | Special conditions, coded | N | Not used in this application |
| + 4183 | Special conditions, coded | N | Not used in this application |
| + 4183 | Special conditions, coded | N | Not used in this application |

Example:

ALI+++E' Type of sale = rental

Segments 39 to 41 (DTM, QVR, FTX) are not used in this application

| SG26 | MOA | | | Segment group SG26: only MOA segment 42 is used in EANCOM |
|----------|---------------------------|---|-----|--|
| 42 | MOA MONETARY AMOUNT | | | One mandatory occurrence per invoice line or sub-line (except in a line which identifies a mixed-rate VAT item), coded 203 in DE 5025, to give the line item amount after all line level allowances and charges, to be carried forward for tax |
| | | | | calculation. In a line which identifies a mixed-rate tax item, this segment is omitted, but it occurs in each associated sub-line to show the amount which is subject to VAT at each different rate. |
| C516 | MONETARY AMOUNT | М | | |
| + 5025 | Monetary amount qualifier | Μ | an3 | 203 = line item amount after line level allowances and charges have been applied |
| : 5004 | Monetary amount | M | n18 | Actual monetary amount, in the format NNNN.DD, where NNNN is an integer of up to 14 digits and DD represents up to 4 decimal places. Non-significant zeros are not sent. |
| : 6345 | Currency, coded | Ν | | Not used in this application |
| : 6343 | Currency qualifier | Ν | | Not used in this application |
| : 4405 | Status, coded | N | | Not used in EANCOM |
| Example: | | | | |
| MOA+2 | 203:140' | | | Line item amount is 140.00 in the invoicing currency |

Segments 43 to 46 (PAT-DTM-PCD-MOA) (SG27) are not used in this application

| SG28 | PRI | | Segment group SG28: one mandatory occurrence per line to specify a unit price |
|-----------------------|-----------------------------------|------------|---|
| 47 | PRI PRICE DETAILS | | One mandatory occurrence per SG28. In book supply, where the basis of an order is normally the publisher's list price including taxes where applicable, with discounts and/or charges applied thereafter, the most commonly expected coding of the PRI segment is: |
| | | | DE 5125 = AAE DE 5375 = CA DE 5387 = SRT or RTP |
| C509 + 5125 | PRICE INFORMATION Price qualifier | M M an3 | AAA = calculation price net (the unit price which will actually be charged by the supplier excluding tax but including any allowances or charges) AAB = calculation price gross (the supplier's unit price excluding all taxes, allowances or charges) AAE = information price (including tax but excluding any allowances or charges) AAF = information price (including all taxes, allowances or charges) |
| : 5118 | Price | D n15 | Mandatory unless DE 5387 = FOC. Price, in the format NN.DD, where NN is an integer of up to 14 digits, and DD represents up to 4 decimal places. Non-significant zeros are not sent. |
| : 5375 | Price type, coded | O an3 | Optional; the following code values may be used CA = publisher's catalogue price DI = distributor's (ie bookseller's or agent's) price QT = quoted price |
| : 5387 | Price type qualifier | O an3 | ABD = pre-payment price FOC = free of charge (EDItEUR code) MBP = member price PRF = promotional price (EDItEUR code - book): same as PRP, but subject to retail price maintenance PRP = promotional price: suggested retail price which applies during the limited period of a special promotion, including a pre-publication price (not under retail price maintenance) RTP = retail price: unit price, subject to retail price maintenance SRP = suggested retail price: unit price, not subject to retail price maintenance |
| /continue | ed | | |

ã Copyright EDItEUR 1998

Orders to Invoices: INVOIC, Status 3

47 PRI PRICE DETAILS (continued)

Example:

PRI+AAE:12.5::SRP'

Suggested retail price = 12.50 in invoice currency

47A DTM DATE/TIME/PERIOD

One optional occurrence per SG28, to give the expiry date if the price in the linked PRI segment is valid for a limited period only. Segment 47A is not part of the EANCOM 1997 INVOIC subset, but has been added following an EDItEUR change request. It is available for use now, but may not be included in standard EANCOM message tables from EDI software suppliers. It is included in the full EDIFACT D.96A INVOIC message.

| | C507 | DATE/TIME/PERIOD | M | | |
|---|------|------------------------------|---|------|-------------------------------------|
| + | 2005 | Date/time/period qualifier | M | an3 | 36 = expiry date (CCYYMMDD) |
| : | 2380 | Date/time/period | M | an35 | Date in the prescribed format |
| : | 2379 | Date/time/period format code | M | an3 | 102 = code for CCYYMMDD date format |

Example:

DTM+36:19960920:102'

Special price valid only until 20 September 1996

| SG29 | RFF-DTM | | | Segment group SG29: only RFF segment 48 is used in this application |
|--|--|-----------------------|-------------|---|
| 48 | RFF REFERENCE | | | Up to ten optional occurrences per invoice line (not sub-lines) may be used to give references which apply to the line item |
| C506 + 1153 : 1154 : 1156 : 4000 | Reference qualifier Reference number Line number | M M M O N | an3 an35 | Code list to be determined Line number within referenced document Not used in EANCOM |
| Example: RFF+? | ???:970528837' | | | ??? reference 970528837 |

Segments 49 to 56 (DTM, PAC-MEA-PCI-GIN, LOC-QTY-DTM) (SG30 to SG32) are not used in this application

TAX+7+VAT++:::17.5+S'

| SG33 | TAX-MOA | | | Segment group SG33: only TAX segm | nent 57 is used in this application |
|----------|----------------------------|-----|------|--|---|
| 57 | TAX DUTY/TAX/FEE DETAILS | i | | | kimum of 5, may be used to specify taxes (or ne item. In UK practice, one occurrence is of the line item. |
| + 5283 | Duty/tax/fee function code | М | an3 | 7 = tax | |
| C241 | DUTY/TAX/FEE TYPE | M | | | |
| + 5153 | Duty/tax/fee type code | M | an3 | GST = goods and services tax | |
| | | | | IMP = import tax | |
| | | | | VAT = value added tax | |
| : 1131 | Code list qualifier | Ν | | Not used in this application | |
| : 3055 | Code list agency code | Ν | | Not used in this application | |
| : 5152 | Duty/tax/fee type | N | | Not used in this application | |
| + C533 | DUTY/TAX/FEE A/C DETAIL | N | | Composite C533 is not used in this ap | |
| C243 | | D | | Mandatory unless tax-exempt or tax n | ot charged |
| + 5279 | Duty/tax/fee rate ID | Ο | an7 | Defined at national or state level | |
| : 1131 | Code list qualifier | 0 | an3 | | |
| : 3055 | Code list agency code | Ο | n3 | | |
| : 5278 | Duty/tax/fee rate | M | an17 | Stated as a percentage, eg 17.5 (up to | o 4 decimal places) |
| : 5273 | Duty/tax/fee rate basis ID | N | an12 | Not used in this application | |
| : 1131 | Code list qualifier | N | an3 | Not used in this application | |
| : 3055 | Code list agency code | N | n3 | Not used in this application | |
| + 5305 | Duty/tax/fee category code | D | an3 | Mandatory in the case of VAT | |
| | | | | E = exempt from tax | L = lower rate |
| | | | | G = export item, tax not charged | S = standard rate |
| 2444 | Donto too ID wood on | N.I | | H = higher rate | Z = zero-rated |
| + 3446 | Party tax ID number | N | | Not used in this application | |
| Example: | | | | | |
| | | | | | |

Item carries tax at standard rate of 17.5 percent

Segments 58 to 60 (MOA, NAD-RFF) (segment group SG34) are not used in this application

| SG38 | ALC-ALI-SG39-SG40-SG41-SG42-SG43 | | G43 | Each occurrence of segment group SG38 represents an allowance or charge applied to the invoice line item. The allowance or charge may be stated as (a) a percentage of the line item value, using PCD segment 64, or (b) a fixed monetary amount for the line item, using MOA segment 65, or (c) a `per unit' rate, using RTE segment 66. There can be a maximum of 15 occurrences of segment group SG38 per invoice line. |
|----------------------------|----------------------------------|----|---|--|
| 61 ALC ALLOWANCE OR CHARGE | | | One mandatory occurrence per segment group SG38, defining the reason for the allowance or charge and, if necessary, the method of calculation | |
| + 5463 | Allowance or charge qualifier | Ma | an3 | A = allowance C = charge |
| + C552 | ALLOWANCE/CHARGE INFO | Ν | | Composite C552 is not used in this application |
| + 4471 | Settlement, coded | Ν | | Not used in this application |
| + 1227 | Calculation sequence code | D | an3 | 1, 2, 3, 9 = first, second, third, ninth step of calculation: use only if there are multiple allowances or charges such that a sequence must be specified to avoid ambiguity |
| C214 | SPECIAL SERVICES ID | M | | Mandatory in this application |
| + 7161 | Special service code | M | an3 | Charge types: codes to be defined Discount/allowance types: codes to be defined |
| : 1131 | Code list qualifier | Ο | an3 | |
| : 3055 | Code list agency code | Ο | an3 | |
| : 7160 | Special service | 0 | an35 | Free text description |

Orders to Invoices: INVOIC, Status 3

Example:

ALC+C++++??' Charge for special service ????

Segments 62 (ALI) and 63 (QTY) (SG39) are not used in this application

| SG40 | PCD | | | Segment group SG40: only PCD segment 64 is used in EANCOM |
|--|--|-----------------------|------------|---|
| 64 | PCD PERCENTAGE DETAILS | | | One occurrence per segment group SG38 if an allowance or charge is specified as a percentage of the line item value |
| C501 + 5245 : 5482 : 5249 : 1131 : 3055 Example: | Percentage qualifier Percentage Percentage basis, coded Code list qualifier Code list agency code | M M M N N | an3 n8 | 3 = allowance or charge Not used in this application Not used in EANCOM Not used in EANCOM |
| • | :12.5' | | | Allowance or charge is calculated as 12.5 percent of line item value |
| SG41 | MOA | | | Segment group SG41: only MOA segment 65 is used in EANCOM |
| 65 | MOA MONETARY AMOUNT | | | One occurrence per segment group SG38 if an allowance or charge is specified as a fixed monetary amount |
| C516 + 5025 : 5004 : 6345 : 6343 : 4405 | MONETARY AMOUNT Monetary amount qualifier Monetary amount Currency, coded Currency qualifier Status, coded | M M M N | an3 n18 | 8 = allowance or charge amount Actual monetary amount in the invoicing currency, in the format NNNN.DD, where NNNN is an integer of up to 14 digits and DD represents up to 4 decimal places. Non-significant zeros are not sent. Not used in this application: all allowances and charges will be shown in the invoicing currency only Not used in this application Not used in EANCOM |
| Example: MOA+8 ã Copyrig | : 140 | | | Allowance or charge amount is 140.00 in the invoicing currency T-8-27 98-03-31 |

| SG42 | DTF | Segment group SG42: only RTE segment 66 is used in EANCOM |
|------|--------|---|
| 3042 | IX I L | Segment group 3042. Only KTE segment of is used in EANCOW |

| 66 | RTE RATE DETAILS | One occurrence per segment group SG38 if an allowance or charge is specified as a |
|----|------------------|---|
| | | rate per unit (the unit in this case being each copy of an invoiced item) |
| | | |

| (| C128 | RATE DETAILS | M | | |
|-----|------|------------------------|---|-----|--|
| + ! | 5419 | Rate type qualifier | M | an3 | 1 = Allowance rate |
| | | | | | 2 = Charge rate |
| : ! | 5420 | Rate per unit | M | n15 | Allowance or charge rate per unit, in the invoicing currency, in the format NNNN.DD, |
| | | | | | where NNNN is an integer of up to 12 digits and DD represents up to 3 decimal |
| | | | | | places. Non-significant zeros are not sent. |
| : ! | 5284 | Unit price basis | Ν | | Not used in this application |
| : (| 6411 | Measure unit qualifier | Ν | | Not used in this application |

Example:

RTE+2:1.4'

Charge rate is 1.40 per unit, in the invoicing currency

| SG43 | TAX-MOA | | | Segment group SG43: only TAX segm | ent 67 is used in this application |
|------------------|--|--------|------|--|--|
| 67 | TAX DUTY/TAX/FEE DETAILS | | | | kimum of 5, may be used to specify taxes (or llowance or charge specified in segment group |
| + 5283 | Duty/tax/fee function code | М | an3 | 7 = tax | |
| C241 | DUTY/TAX/FEE TYPE | M | | | |
| + 5153 | Duty/tax/fee type code | M | an3 | GST = goods and services tax | |
| | | | | IMP = import tax | |
| 1101 | On do Pat amortista | | | VAT = value added tax | |
| : 1131 | Code list agency and | N | | Not used in this application | |
| : 3055 : 5152 | Code list agency code Duty/tax/fee type | N | | Not used in this application Not used in this application | |
| + C533 | DUTY/TAX/FEE A/C DETAIL | N N | | Composite C533 is not used in this ap | polication |
| + C333 | DUTY/TAX/FEE A/C DETAIL | D | | Mandatory unless tax-exempt or tax n | · |
| + 5279 | Duty/tax/fee rate ID | O | an7 | Defined at national or state level | ot charged |
| : 1131 | Code list qualifier | 0 | an3 | Defined at National of State level | |
| : 3055 | Code list agency code | Ö | n3 | | |
| : 5278 | Duty/tax/fee rate | Μ | an17 | Stated as a percentage, eg 17.5 (up to | o 4 decimal places) |
| : 5273 | Duty/tax/fee rate basis ID | Ν | an12 | Not used in this application | • |
| : 1131 | Code list qualifier | Ν | an3 | Not used in this application | |
| : 3055 | Code list agency code | Ν | n3 | Not used in this application | |
| + 5305 | Duty/tax/fee category code | D | an3 | Mandatory in the case of VAT | |
| | | | | E = exempt from tax | L = lower rate |
| | | | | G = export item, tax not charged | S = standard rate |
| | | | | H = higher rate | Z = zero-rated |
| + 3446 | Party tax ID number | N | | Not used in this application | |
| Example: | | | | | |
| - | +VAT++:::17.5+S' | | | VAT at standard rate of 17.5 percent | |

Segment 69 (MOA) is not used in this application

| 70 | UNS SECTION CONTROL | | | One mandatory occurrence per message |
|-------------------|------------------------|---|-----|---|
| + 0081 | Section identification | М | a1 | S = Detail/summary section separator |
| Example: UNS+S | | | | |
| 71 | CNT CONTROL TOTAL | | | At least one occurrence per message is recommended, to send a control total of the number of line items |
| C270 | CONTROL | М | | |
| + 6069 | Control qualifier | М | an3 | 1 = total value of QTY segments in the message (sum of DE 6060's from QTY segment 37) 2 = number of line items (LIN segments) in the message |
| : 6066 | Control value | М | n18 | Control total sent as an integer without leading zeros and without decimal point |
| : 6411 | Measure unit qualifier | N | | Not used in this application |
| Example: | | | | |
| CNT+2 | 2:4' | | | Four line items in message |

MOA MONETARY AMOUNT

D

D

Ν

an..3

Orders to Invoices: INVOIC. Status 3

SG48 MOA-SG49

72

Multiple occurrences of SG46 (maximum 100 per invoice message) are used to carry invoice total amounts. In UK practice, the invoice should carry all of the amounts listed below, in the order in which the corresponding codes are listed.

One mandatory occurrence per segment group SG46 C516 MONETARY AMOUNT M 86 = message total monetary amount (total invoice amount due including tax, + 5025 Monetary amount qualifier M an..3 allowances and charges, but excluding settlement discount) 79 = total line item amounts (including charges or allowances specified at line level but excluding tax, and charges or allowances specified at invoice header level) 129 = total amount subject to payment discount (the amount on which settlement discount is to be calculated, including all allowances and charges, from both header and detail sections, but excluding tax) 125 = taxable amount (total amount on which tax is calculated, after all allowances and charges, from both header and detail sections, and after settlement discount if applicable) 131 = total allowances and/or charges (total of ALC segments in summary section) 176 = message total tax amount 113 = prepaid amount, if any 9 = amount payable (after all taxes, prepayments and settlement discount) Actual monetary amount in the invoicing currency, in the format NNNN.DD, where : 5004 Monetary amount M n..18 NNNN is an integer of up to 14 digits and DD represents up to 4 decimal places. Non-significant zeros are not sent.

Example:

: 6343

: 4405

MOA+9:12807.5'

: 6345 Currency, coded

Currency qualifier

Status, coded

Total payable is 12,807.50 in the invoicing currency

ISO 4217 three-alpha code: use only when stating the amount payable in an

alternative payment currency, with DE 5025 = 9. Otherwise the invoicing currency

11 = payment currency

Not used in EANCOM

is assumed.

SG49 RFF-DTM

Segment group 49 is used only when there has been a prepayment against the invoice, to give a reference to the payment. Each occurrence of segment group SG49 must therefore be linked to an occurrence of MOA segment 72 which is coded 113 in DE 5025.

73 RFF REFERENCE

One mandatory occurrence per segment group SG49

| C506 | REFERENCE | Μ | | |
|--------|--------------------------|---|------|--|
| + 1153 | Reference qualifier | M | an3 | AEK = payment order number CK = cheque number LC = letter of credit number PQ = payment reference number |
| : 1154 | Reference number | M | an35 | |
| : 1156 | Line number | Ν | | Not used in EANCOM |
| : 4000 | Reference version number | N | | Not used in EANCOM |

Example:

RFF+CK:528837'

Cheque number 528837

74 DTM DATE/TIME/PERIOD

One optional occurrence per segment group SG49

| C507 | DATE/TIME/PERIOD | M | | |
|--------|------------------------------|---|------|-------------------------------------|
| + 2005 | Date/time/period qualifier | M | an3 | 171 = reference date (CCYYMMDD) |
| : 2380 | Date/time/period | M | an35 | Date in the prescribed format |
| : 2379 | Date/time/period format code | M | an3 | 102 = code for CCYYMMDD date format |

Example:

DTM+171:19960920:102'

Reference date 20 September 1996

| SG50 | T/ | ۱-X | M | O, | ١ |
|------|----|-----|---|----|---|
| | | | | | |

There must be one occurrence of segment group SG50 for each tax type and rate which occurs in the invoice message, to give an invoice total for that tax (up to a maximum of 10)

75 TAX DUTY/TAX/FEE DETAILS One mandatory occurrence per segment group SG50

| + 5283 C241 | Duty/tax/fee function code DUTY/TAX/FEE TYPE | M M | an3 | 7 = tax | |
|----------------|---|--------|------|--|---|
| + 5153 | Duty/tax/fee type code | M | an3 | GST = goods and services tax | |
| | 3, | | | IMP = import tax | |
| | | | | VAT = value added tax | |
| : 1131 | Code list qualifier | Ν | | Not used in this application | |
| : 3055 | Code list agency code | Ν | | Not used in this application | |
| : 5152 | Duty/tax/fee type | Ν | | Not used in this application | |
| + C533 | DUTY/TAX/FEE A/C DETAIL | Ν | | Composite C533 is not used in this ap | plication |
| C243 | DUTY/TAX/FEE DETAIL | D | | Mandatory unless tax-exempt or tax n | ot charged |
| + 5279 | Duty/tax/fee rate ID | Ο | an7 | Defined at national or state level | |
| : 1131 | Code list qualifier | Ο | an3 | | |
| : 3055 | Code list agency code | Ο | n3 | | |
| : 5278 | Duty/tax/fee rate | M | an17 | Stated as a percentage, eg 17.5 (up to | o 4 decimal places) |
| : 5273 | Duty/tax/fee rate basis ID | Ν | an12 | Not used in this application | |
| : 1131 | Code list qualifier | Ν | an3 | Not used in this application | |
| : 3055 | Code list agency code | N | n3 | Not used in this application | |
| + 5305 | Duty/tax/fee category code | D | an3 | Mandatory in the case of VAT | |
| | | | | E = exempt from taxG = export item, tax not chargedH = higher rate | L = lower rate S = standard rate Z = zero-rated |
| + 3446 | Party tax ID number | Ν | | Not used in this application | |

Example:

TAX+7+VAT++:::17.5+S'

VAT at standard rate of 17.5 percent

| 76 | MOA MONETARY AMOUNT | | | Two mandatory occurrences per segment group SG50, to show the invoice total amount taxable at the rate in the linked TAX segment 75, and the amount of tax due |
|--------|---------------------------|---|-----|--|
| C516 | MONETARY AMOUNT | М | | |
| + 5025 | Monetary amount qualifier | M | an3 | 125 = amount subject to tax (the total amount subject to tax at the rate specified in the previous TAX segment, taking into account allowances and charges, and settlement discount if applicable) |
| | | | | 176 = message total tax amount (the tax payable at this rate) |
| : 5004 | Monetary amount | M | n18 | Actual monetary amount, in the format NNNN.DD, where NNNN is an integer of up to 14 digits and DD represents up to 4 decimal places. Non-significant zeros are not sent. |
| : 6345 | Currency, coded | Ν | | Not used in this application |
| : 6343 | Currency qualifier | Ν | | Not used in this application |
| : 4405 | Status, coded | Ν | | Not used in EANCOM |

Example:

MOA+79:11700' MOA+176:1107.5' Total amount taxable is 11,700.00 in the invoicing currency Total tax is 1,107.50 in the invoicing currency

Orders to Invoices: INVOIC, Status 3

| SG51 | ΑI | C- | ΑI | I. | -MO | Α |
|------|----|----|----|----|-----|---|
| | | | | | | |

Each occurrence of segment group SG51 gives the invoice total for an allowance or charge applied to invoiced items or to the invoice as a whole. There can be a maximum of 15 occurrences of segment group SG51 per invoice message.

77 ALC ALLOWANCE OR CHARGE

One mandatory occurrence per segment group SG51, defining the reason for the allowance or charge and, if necessary, the method of calculation

| + 5463 | Allowance or charge qualifier | Ma | an3 | A = allowance C = charge |
|--------|-------------------------------|----|------|--|
| + C552 | ALLOWANCE/CHARGE INFO | Ν | | Composite C552 is not used in this application |
| + 4471 | Settlement, coded | Ν | | Not used in this application |
| + 1227 | Calculation sequence code | D | an3 | 1, 2, 3, 9 = first, second, third, ninth step of calculation: use only if there are multiple allowances or charges such that a sequence must be specified to avoid ambiguity |
| C214 | SPECIAL SERVICES ID | | M | Mandatory in this application |
| + 7161 | Special service code | M | an3 | Charge types: codes to be defined Discount/allowance types: codes to be defined |
| : 1131 | Code list qualifier | Ο | an3 | |
| : 3055 | Code list agency code | Ο | an3 | |
| : 7160 | Special service | Ο | an35 | Free text description |

Example:

ALC+C++++??'

Charge for special service ????

Segment 78 (ALI) is not used in this application

| 79 | MOA MONETARY AMOUNT | One occurrence per SG51 to showe total amount for the allowance or charge type |
|----|---------------------|--|

specified in the linked ALC segment

| C516 + 5025 : 5004 | MONETARY AMOUNT Monetary amount qualifier Monetary amount | M M M | an3 n18 | 131 = total allowance or charge amount Actual monetary amount in the invoicing currency, in the format NNNN.DD, where NNNN is an integer of up to 14 digits and DD represents up to 4 decimal places. Non-significant zeros are not sent. |
|---------------------------|---|-------------|------------|---|
| : 6343 | Currency, coded Currency qualifier Status, coded | N N N | | Not used in this application Not used in this application Not used in EANCOM |

Example:

MOA+131:1170'

Total allowance or charge amount defined by linked ALC segment 72 is 1,170.00 in the invoicing currency

Orders to Invoices: INVOIC, Status 3

80 UNT MESSAGE TRAILER One mandatory occurrence per message

| + 0074 | No of segments in message | Μ | n6 | Count includes the UNH and UNT segments |
|--------|---------------------------|---|------|---|
| + 0062 | Message reference number | M | an14 | The reference number given here must be the same as that specified in the UNH |
| | | | | segment |

Example:

UNT+2345+ME000001'

2345 segments in message reference ME000001