

# Tegral Product Order Sheet


Tel: 059 86 31316    Fax: 059 86 38637    Email: info@tegral.com

## Customer Details:

Date:	_____	Delivery Address:	_____
Customer Name:	_____		_____
A/C Number:	_____		_____
Order No:	_____	Site Contact Name:	_____
Job Ref:	_____	Site Contact No:	_____
	_____	Requested Delivery Date:	_____

## Order Details:

Please take care to complete this form correctly to ensure quick processing of your order. Consult the attached summary page for more product information. If you require additional rows see extra back page.



E.g.

Profile	Finish	Gauge	Colour	Quantity	Length (mm)
10/3	Agribild	0.6 (mm)	Green	2	1,000mm

Special Requirements \_\_\_\_\_

# Tegral Flashings Order Sheet

Tel: 059 86 31316

Fax: 059 86 38637

Email: info@tegral.com

## Customer Details:

Date:	_____	Delivery Address:	_____
Customer Name:	_____		_____
A/C Number:	_____		_____
Order No:	_____	Site Contact Name:	_____
Job Ref:	_____	Site Contact No:	_____
		Requested Delivery Date:	_____

<p>Barge Board (fs A)</p>	<p>Barge Board (fs B)</p>	<p>Corner /Barge (fs C)</p>	<p>Corner /Barge (fs D)</p>
Qty: Girth: 305mm	Qty: Girth: 406mm	Qty: Girth: 305mm	Qty: Girth: 406mm
Colour:	Colour:	Colour:	Colour:
Finish:	Finish:	Finish:	Finish:
<p>Ridge Capping (fs E)</p>	<p>Ridge Capping (fs F)</p>	<p>Ridge Capping (fs G)</p>	<p>Ridge Capping (fs H)</p>
Qty: Girth: 406mm	Qty: Girth: 305mm	Qty: Girth: 406mm	Qty: Girth: 305mm
Colour:	Colour:	Colour:	Colour:
Finish:	Finish:	Finish:	Finish:
<p>Ridge Capping (fs I)</p>	<p>Door Hood (fs J)</p>	<p>Door Hood (fs K)</p>	<p>Door Hood (fs L)</p>
Qty: Girth: 460mm	Qty: Girth: 615mm	Qty: Girth: 615mm	Qty: Girth: 460mm
Colour:	Colour:	Colour:	Colour:
Finish:	Finish:	Finish:	Finish:
<p>Drip Flashing (fs M)</p>	<p>Cleader Rail</p>	<p>ALL flashings are in 3,000mm lengths</p> <p>Finish options are:</p> <p>a) Agribild</p> <p>b) Colorgalv</p> <p>c) Leathergrain</p>	
Qty: Girth: 174mm	Qty: Girth: 150mm		
Colour:	Galv. 1.5mm thickness		
Finish:	3,000mm length		

## Tegral Standard Product Summary Page



PRODUCT PROFILE	COVER WIDTH	STRAIGHT SHEET		CURVING		COCKTAIL		VENTING		CRANKING	
		MAX LENGTH	MIN LENGTH	MAX LENGTH	MIN LENGTH	MAX LENGTH	MIN LENGTH	MAX LENGTH	MIN LENGTH	MAX LENGTH	MIN LENGTH
		mm		mm		mm		mm		mm	
10\3	762mm single lap/723mm lap & a half	12,000	900	4,500	1000	3,700	1,000	3,500	900	5,500	1,200
13.5\3	990mm	12,000	900	4,500	1000					5,500	1,200
32MM	960mm	12,000	250								
33MM	1000mm	12,000	250								
Condri 32 & 33mm	As above	12,000	1,600								
Condri 13.5x3	As above	12,000	1,800								
D60	800mm	12,000	250								
CLS 1000 ***	1000mm	8,000	250								
ARCLINE	1000mm	10,000	250								
SHADOWLINE	900mm	10,000	250								
CF 51	610mm	9,000	500								
CF60	600mm	12,000	1,200								
150'S	-	16,000	460								
175'S	-	16,000	460								
200'S	-	16,000	460								
225'S	-	16,000	460								
245'S	-	16,000	460								
265'S	-	16,000	460								
285'S	-	16,000	460								
FLASHINGS STD	-	4,000									
MINI RIB	1160mm	4,200	500								
FLATS	-	4,000	500								

Standard Cocktailed Sheet = 6/18

Standard Curved/Cranked Canopy Sheet = 6" Rise

**Note: This page is only for use IF your order exceeds the 15 rows available on the first page of this order form.**

[illegible]