

Daily Spot Cotton Quotations

Volume 99, No. 196

10-May-17

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS			
	Basis	Color 41 Leaf 4	Color 31 Leaf 3	Number of Bales Provided to Cotton Program				
	N.Y. Futures	Staple 34	Staple 35	Today	Season			
	Points	Cents per pound		Bales	Bales			
Southeast	-75 Jul-17	75.74	76.99	0	75,624			
North Delta	-150 Jul-17	74.99	76.24	0	24,530			
South Delta	-150 Jul-17	74.99	76.24	0	10,443			
East TX-OK	-449 Jul-17	72.00	73.50	994	499,972			
West Texas	-449 Jul-17	72.00	73.50	0	926,139			
Desert SW	-550 Jul-17	70.99	74.99	0	19,464			
SJ Valley	-450 Jul-17	71.99	80.89	0	0			
Average	-325 Jul-17	73.24	76.05	Upland Total				
Previous day	-337 Jul-17	74.06	76.86	994	1,556,172			
American Pima	AMERICAN PIMA SPOT PRICE QUOTATIONS							
	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46	AP Total				
	146.00	124.25	131.25	0	4,075			
ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER			7-MARKET BASE QUOTATIONS FOR UPLAND COTTON		May 05 - May 11 ADJ. WORLD PRICE			
Month	Cents per pound					69.75		
	Today	Previous	Change			CC ADJUSTMENT		
Jul-17	76.49	77.43	↓ -0.94	Season high		0.00		
Oct-17	73.50	74.35	↓ -0.85			FC ADJUSTMENT		
Dec-17	72.33	73.04	↓ -0.71	4/21/2017	76.56	2016 2017		
Mar-18	72.11	72.71	↓ -0.60			0.00 0.12		
May-18	72.36	72.78	↓ -0.42	Season low		LOAN DEFICIENCY PMT.		
Jul-18	72.51	72.78	↓ -0.27			0.00		
Oct-18	70.49	70.69	↓ -0.20			Pima Competitiveness		
Dec-18	70.81	71.02	↓ -0.21	8/31/2016	63.91	Payment		
Mar-19	70.84	71.05	↓ -0.21			0.00		
May-19	70.88	71.09	↓ -0.21					
PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/								
Staple 33	Color							
	11	21	31	41	51	12	22	32
Leaf 1 & 2	-55	-55	-90	-235	-430	-185	-185	-285
3	-75	-75	-100	-245	-435	-200	-200	-300
4	-185	-185	-220	-340	-465	NOT TENDERABLE		
5	-290	-290	-310	-420	-625	NOT TENDERABLE		
Staple 34								
Leaf 1 & 2	95	95	60	30	-230	50	50	-80
3	75	75	55	25	-250	45	45	-95
4	35	35	15	0	-305	NOT TENDERABLE		
5	-95	-95	-140	-245	-450	NOT TENDERABLE		
Staple 35								
Leaf 1 & 2	280	280	235	100	-130	175	175	50
3	220	220	190	57	-145	135	135	13
4	125	125	70	25	-215	NOT TENDERABLE		
5	40	40	-15	-145	-355	NOT TENDERABLE		
Staple 36								
Leaf 1 & 2	399	399	374	209	-91	304	304	119
3	339	339	314	169	-101	259	259	94
4	269	269	199	124	-163	NOT TENDERABLE		
5	142	142	64	-61	-310	NOT TENDERABLE		

1/ Settlement prices provided by ICE Futures US

2/ The average of the differences from the Southeast, North and South Delta average, East Texas-Oklahoma, West Texas, and Desert Southwest markets.

MP_CN002

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT: <http://www.ams.usda.gov/mnreports/cnddsq.pdf>

SOUTHEAST DIFFERENCES

10-May-17

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-50	100	150	325	375	375	25-26	-825
	3	-225	-50	100	125	300	350	350	27-29	-425
	4	-225	-175	25	75	275	300	300	30-32	-275
	5	-375	-225	-125	25	75	75	75	33-34	-150
	6	-500	-350	-300	-225	-200	-200	-200	Base 35-36	0
	7	-625	-475	-450	-350	-325	-325	-325	37-42	0
31	1 & 2	-225	-50	75	125	300	325	325	Base 43-49	0
	3	-225	-50	75	125	275	300	300	50-52	-200
	4	-225	-125	25	75	250	275	275	53 & Above	-375
	5	-375	-225	-125	25	50	50	50		
	6	-500	-350	-300	-275	-250	-250	-250		
	7	-625	-475	-450	-400	-375	-375	-375		
41	1 & 2	-275	-100	50	100	275	275	300	Strength	
	3	-275	-100	50	75	250	250	275	(Grams per Tex)	
	4	-275	-200	75.74	50	225	225	250	Range	Diff.
	5	-450	-350	-200	-75	-25	-25	-25	21.0 - 21.9	-425
	6	-575	-450	-425	-350	-325	-325	-325	22.0 - 22.9	-350
	7	-675	-575	-550	-500	-475	-475	-475	23.0 - 23.9	-300
51	1 & 2	-475	-300	-175	-175	-150	-150	-150	24.0 - 24.9	-250
	3	-550	-325	-250	-225	-175	-175	-175	25.0 - 25.9	-200
	4	-575	-325	-275	-275	-250	-250	-250	26.0 - 26.9	-25
	5	-675	-550	-450	-400	-375	-375	-375	Base 27.0 - 28.9	0
	6	-750	-575	-525	-525	-500	-500	-500	29.0 - 29.9	0
	7	-825	-700	-675	-675	-650	-650	-650	30.0 - 30.9	25
61	1-5	-775	-700	-625	-600	-600	-600	-600	31.0 - 32.9	50
	6	-950	-875	-825	-800	-800	-800	-800	33.0 & Above	50
	7	-1075	-950	-900	-875	-875	-875	-875		
71	1-6	-1075	-1000	-950	-950	-950	-950	-950		
	7	-1100	-1025	-975	-975	-975	-975	-975		
12 & 22	1 & 2	-275	-100	50	100	275	275	300	Extraneous Matter	
	3	-275	-100	50	75	250	250	275	Prep	Diff.
	4	-275	-125	0	50	225	225	250	Level 1	-200
	5	-425	-325	-200	0	25	25	25	Level 2	-800
	6	-550	-425	-425	-350	-325	-325	-325		
	7	-650	-550	-550	-500	-475	-475	-475	Other	Diff.
32	1 & 2	-325	-175	-25	0	50	50	50	Level 1	-400
	3	-350	-200	-50	0	25	25	25	Level 2	-800
	4	-450	-200	-150	-100	-50	-50	-50		
	5	-525	-350	-300	-275	-250	-250	-250		
	6	-600	-450	-450	-425	-400	-400	-400		
	7	-700	-575	-575	-550	-525	-525	-525		
42	1-3	-625	-425	-225	-200	-175	-175	-175	Uniformity	
	4	-675	-425	-275	-275	-250	-250	-250	Unit	Points
	5	-775	-650	-425	-375	-350	-350	-350	77.9 & Below	-125
	6	-825	-775	-625	-625	-600	-600	-600	78.0 - 78.9	-110
	7	-925	-800	-775	-750	-725	-725	-725	79.0 - 79.9	-100
52	1-4	-825	-700	-575	-500	-500	-500	-500	80.0 - 80.9	-25
	5	-850	-850	-675	-650	-650	-650	-650	Base 81.0 - 81.9	0
	6	-925	-900	-850	-825	-825	-825	-825	82.0 - 82.9	0
	7	-1075	-1000	-950	-925	-925	-925	-925	83.0 - 83.9	20
62	1-5	-950	-875	-825	-825	-825	-825	-825	84.0 - 84.9	30
	6	-1125	-1050	-1000	-1000	-1000	-1000	-1000	85.0 - 85.9	40
43	1-3	-900	-850	-800	-750	-725	-725	-725	86.0 & Above	50
	4	-925	-900	-850	-775	-750	-750	-750		
	5	-950	-900	-850	-825	-825	-825	-825		
	6	-1000	-925	-875	-850	-850	-850	-850		
	7	-1125	-1000	-950	-925	-925	-925	-925		
53	1-4	-1000	-900	-850	-800	-800	-800	-800		
	5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1150	-1100	-1000	-1000	-1000	-1000	-1000		
	7	-1250	-1200	-1100	-1100	-1100	-1100	-1100		
63	1-5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1250	-1200	-1100	-1100	-1100	-1100	-1100		

NORTH DELTA DIFFERENCES

10-May-17

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	100	200	425	475	475	25-26	-1000
	3	-225	-75	75	150	350	400	400	27-29	-650
	4	-275	-200	25	50	275	300	300	30-32	-325
	5	-450	-325	-25	25	50	75	75	33-34	-125
	6	-500	-475	-350	-275	-275	-275	-275	Base 35-36	0
	7	-600	-575	-450	-375	-375	-375	-375	37-42	25
31	1 & 2	-225	-100	75	175	425	450	450	Base 43-49	0
	3	-225	-100	75	125	350	400	400	50-52	-225
	4	-275	-250	25	50	225	250	250	53 & Above	-375
	5	-450	-325	-125	-25	0	25	25		
	6	-500	-475	-350	-275	-275	-275	-275		
	7	-600	-575	-450	-375	-375	-375	-375		
41	1 & 2	-350	-250	50	150	275	300	300	Strength	
	3	-350	-250	25	100	250	275	275	(Grams per Tex)	
	4	-375	-275	74.99	50	175	200	200	Range	Diff.
	5	-525	-400	-225	-125	-75	-75	-75	21.0 - 21.9	-300
	6	-575	-500	-400	-325	-300	-300	-300	22.0 - 22.9	-250
	7	-700	-675	-550	-450	-450	-450	-450	23.0 - 23.9	-200
51	1-2	-675	-475	-400	-250	-250	-250	-250	24.0 - 24.9	-175
	3	-725	-475	-425	-275	-275	-275	-275	25.0 - 25.9	-150
	4	-750	-500	-450	-350	-350	-350	-350	26.0 - 26.9	-25
	5	-825	-725	-575	-475	-450	-450	-450	Base 27.0 - 28.9	0
	6	-850	-825	-675	-600	-600	-600	-600	29.0 - 29.9	0
	7	-1000	-975	-825	-700	-700	-700	-700	30.0 - 30.9	25
61	1-5	-850	-750	-650	-575	-575	-575	-575	31.0 - 32.9	50
	6	-925	-850	-775	-750	-750	-750	-750	33.0 & Above	50
	7	-1025	-1000	-875	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1075	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	50	150	300	325	325	Extraneous Matter	
	3	-275	-125	25	100	250	300	300	Prep	Diff.
	4	-300	-250	0	50	200	225	225	Level 1	-200
	5	-500	-375	-200	-100	-75	-50	-50	Level 2	-800
	6	-625	-550	-425	-325	-300	-275	-275		
	7	-675	-650	-525	-450	-425	-425	-425	Other	
32	1 & 2	-400	-250	-100	0	50	50	50	Level 1	-375
	3	-400	-250	-100	-25	25	25	25	Level 2	-785
	4	-425	-275	-200	-100	-75	-75	-75		
	5	-600	-425	-250	-225	-200	-200	-200		
	6	-700	-650	-475	-425	-400	-400	-400		
	7	-800	-750	-575	-525	-525	-525	-525		
42	1-3	-550	-425	-350	-225	-225	-225	-225	Uniformity	
	4	-575	-450	-375	-300	-300	-300	-300	Unit	Points
	5	-725	-575	-450	-400	-375	-375	-375	77.9 & Below	-90
	6	-850	-750	-600	-550	-525	-525	-525	78.0 - 78.9	-80
	7	-900	-800	-700	-650	-650	-650	-650	79.0 - 79.9	-70
52	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9	0
	5	-825	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	0
	6	-975	-875	-800	-775	-775	-775	-775	82.0 - 82.9	0
	7	-1000	-975	-900	-875	-875	-875	-875	83.0 - 83.9	30
62	1-5	-1025	-925	-850	-825	-825	-825	-825	84.0 - 84.9	40
	6	-1175	-1075	-950	-925	-925	-925	-925	85.0 - 85.9	50
43	1-3	-900	-675	-500	-475	-475	-475	-475	86.0 & Above	60
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
53	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

SOUTH DELTA DIFFERENCES

10-May-17

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	100	200	425	475	475	25-26	-1100
	3	-225	-75	75	150	350	400	400	27-29	-750
	4	-275	-200	25	50	275	300	300	30-32	-325
	5	-450	-325	-25	25	50	75	75	33-34	-125
	6	-500	-475	-350	-275	-275	-275	-275	Base 35-36	0
	7	-600	-575	-450	-375	-375	-375	-375	37-42	25
31	1 & 2	-225	-100	75	175	425	450	450	Base 43-49	0
	3	-225	-100	75	125	350	400	400	50-52	-225
	4	-275	-250	25	50	225	250	250	53 & Above	-375
	5	-450	-325	-125	-25	0	25	25		
	6	-500	-475	-350	-275	-275	-275	-275		
	7	-600	-575	-450	-375	-375	-375	-375		
41	1 & 2	-350	-250	50	150	275	300	300	Strength	
	3	-350	-250	25	100	250	275	275	(Grams per Tex)	
	4	-375	-275	74.99	50	175	200	200	Range	Diff.
	5	-525	-400	-225	-125	-75	-75	-75	21.0 - 21.9	-275
	6	-575	-500	-400	-325	-300	-300	-300	22.0 - 22.9	-225
	7	-700	-675	-550	-450	-450	-450	-450	23.0 - 23.9	-200
51	1-2	-675	-475	-400	-250	-250	-250	-250	24.0 - 24.9	-175
	3	-725	-475	-425	-275	-275	-275	-275	25.0 - 25.9	-150
	4	-750	-500	-450	-350	-350	-350	-350	26.0 - 26.9	-25
	5	-825	-725	-575	-475	-450	-450	-450	Base 27.0 - 28.9	0
	6	-925	-825	-675	-600	-600	-600	-600	29.0 - 29.9	0
	7	-1000	-975	-825	-700	-700	-700	-700	30.0 - 30.9	25
61	1-5	-850	-750	-650	-575	-575	-575	-575	31.0 - 32.9	50
	6	-925	-850	-775	-750	-750	-750	-750	33.0 & Above	50
	7	-1025	-1000	-875	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	50	150	300	325	325	Extraneous Matter	
	3	-275	-125	25	100	250	300	300	Prep	Diff.
	4	-300	-250	0	50	200	225	225	Level 1	-200
	5	-500	-375	-200	-100	-75	-50	-50	Level 2	-800
	6	-625	-550	-425	-325	-300	-275	-275		
	7	-675	-650	-525	-450	-425	-425	-425	Other	
32	1 & 2	-400	-250	-100	0	50	50	50	Level 1	-375
	3	-400	-250	-100	-25	25	25	25	Level 2	-785
	4	-425	-275	-200	-100	-75	-75	-75		
	5	-600	-425	-250	-225	-200	-200	-200		
	6	-700	-650	-475	-425	-400	-400	-400		
	7	-800	-750	-575	-525	-525	-525	-525		
42	1-3	-550	-425	-350	-225	-225	-225	-225	Uniformity	
	4	-575	-450	-375	-300	-275	-275	-275	Unit	Points
	5	-725	-575	-450	-400	-375	-375	-375	77.9 & Below	-90
	6	-850	-750	-600	-525	-500	-500	-500	78.0 - 78.9	-80
	7	-900	-800	-700	-650	-650	-650	-650	79.0 - 79.9	-70
52	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9	0
	5	-825	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	0
	6	-975	-875	-800	-775	-775	-775	-775	82.0 - 82.9	0
	7	-1000	-975	-900	-875	-875	-875	-875	83.0 - 83.9	30
62	1-5	-1025	-925	-850	-825	-825	-825	-825	84.0 - 84.9	40
	6	-1175	-1075	-950	-925	-925	-925	-925	85.0 - 85.9	50
43	1-3	-900	-675	-475	-450	-450	-450	-450	86.0 & Above	60
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
53	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

EAST TEXAS-OKLAHOMA DIFFERENCES

10-May-17

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-300	-250	-75	75	225	300	375	375
	3	-350	-300	-100	75	175	225	250	250
	4	-425	-300	-125	50	50	225	250	250
	5	-475	-350	-300	-75	50	200	200	200
	6	-625	-475	-475	-275	-275	-125	-125	-125
	7	-700	-575	-575	-350	-350	-200	-200	-200
31	1 & 2	-350	-275	-75	75	200	275	325	325
	3	-375	-300	-100	75	150	175	200	200
	4	-475	-375	-175	0	25	100	100	100
	5	-525	-375	-325	-100	0	100	100	100
	6	-650	-500	-500	-275	-275	-175	-175	-175
	7	-725	-600	-600	-350	-350	-275	-275	-275
41	1 & 2	-450	-275	-100	50	100	200	225	225
	3	-475	-300	-125	50	50	75	100	100
	4	-525	-375	-275	72.00	0	50	75	75
	5	-600	-425	-375	-125	-100	50	75	75
	6	-750	-550	-525	-300	-300	-175	-175	-175
	7	-850	-650	-625	-400	-375	-350	-350	-350
51	1 & 2	-575	-425	-325	0	0	75	100	100
	3	-575	-450	-325	0	0	75	100	100
	4	-625	-475	-350	-75	-50	25	50	50
	5	-675	-550	-500	-175	-125	-100	-75	-75
	6	-850	-650	-650	-325	-325	-300	-300	-300
	7	-950	-675	-675	-400	-400	-375	-375	-375
61	1-5	-700	-550	-500	-175	-175	-150	-150	-150
	6	-875	-675	-650	-350	-325	-300	-300	-300
	7	-975	-775	-750	-450	-425	-400	-400	-400
71	1-6	-900	-800	-750	-425	-425	-400	-400	-400
	7	-1000	-850	-825	-500	-500	-475	-475	-475
12 & 22	1 & 2	-500	-300	-125	75	150	225	225	225
	3	-525	-350	-175	75	100	150	150	150
	4	-575	-375	-200	25	50	150	150	150
	5	-650	-550	-500	-250	-125	50	50	50
	6	-825	-650	-650	-400	-350	-325	-325	-325
	7	-950	-775	-750	-500	-450	-425	-425	-425
32	1 & 2	-525	-450	-275	-25	75	150	150	150
	3	-550	-450	-300	-25	-25	75	75	75
	4	-600	-475	-375	-100	-100	-75	-75	-75
	5	-700	-600	-575	-275	-225	-75	-75	-75
	6	-875	-700	-700	-450	-425	-400	-400	-400
	7	-1025	-825	-825	-550	-525	-500	-500	-500
42	1-3	-575	-500	-425	-75	-50	0	0	0
	4	-625	-525	-450	-100	-100	-75	-75	-75
	5	-775	-650	-600	-325	-300	-300	-300	-300
	6	-1000	-750	-725	-475	-450	-450	-450	-450
	7	-1125	-875	-850	-600	-550	-550	-550	-550
52	1-4	-775	-600	-525	-350	-350	-350	-350	-350
	5	-850	-700	-600	-400	-400	-400	-400	-400
	6	-1075	-900	-825	-550	-525	-525	-525	-525
	7	-1175	-1025	-950	-675	-650	-600	-600	-600
62	1-5	-900	-775	-750	-475	-450	-450	-450	-450
	6	-1125	-975	-950	-675	-650	-625	-625	-625

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-700	-575	-500	-175	-100	-25	-25	-25
	3	-725	-600	-525	-200	-125	-50	-50	-50
	4	-775	-675	-575	-250	-175	-100	-100	-100
	5	-900	-775	-700	-375	-300	-225	-225	-225
	6	-1025	-850	-750	-425	-400	-325	-325	-325
	7	-1125	-950	-875	-550	-525	-450	-450	-450
33	1 & 2	-800	-650	-575	-225	-175	-100	-100	-100
	3	-800	-650	-575	-225	-175	-100	-100	-100
	4	-875	-725	-625	-275	-225	-150	-150	-150
	5	-1025	-825	-725	-400	-350	-275	-275	-275
	6	-1100	-900	-825	-475	-475	-400	-400	-400
	7	-1200	-1025	-925	-600	-600	-525	-525	-525
43	1-3	-850	-725	-625	-275	-225	-150	-150	-150
	4	-925	-800	-675	-300	-250	-175	-175	-175
	5	-1050	-900	-775	-425	-375	-300	-300	-300
	6	-1150	-975	-875	-525	-525	-450	-450	-450
	7	-1250	-1075	-975	-625	-625	-550	-550	-550
53	1-4	-975	-900	-800	-475	-450	-400	-400	-400
	5	-1075	-975	-900	-550	-525	-475	-475	-475
	6	-1175	-1075	-1000	-650	-650	-600	-600	-600
	7	-1275	-1175	-1125	-750	-725	-675	-675	-675
63	1-5	-1175	-1050	-950	-600	-525	-475	-475	-475
	6	-1275	-1175	-1050	-700	-675	-625	-625	-625
34	1 & 2	-875	-775	-725	-400	-400	-375	-375	-375
	3	-875	-775	-725	-400	-400	-375	-375	-375
	4	-1000	-900	-825	-500	-500	-475	-475	-475
	5	-1100	-1000	-950	-625	-625	-600	-600	-600
	6	-1275	-1175	-1125	-800	-800	-775	-775	-775
44	1-3	-975	-875	-825	-500	-500	-475	-475	-475
	4	-1050	-975	-875	-550	-550	-525	-525	-525
	5	-1125	-1050	-975	-650	-650	-625	-625	-625
	6	-1300	-1200	-1150	-825	-825	-800	-800	-800
54	1-4	-1075	-1000	-950	-625	-625	-600	-600	-600
	5	-1175	-1100	-1025	-700	-700	-675	-675	-675

Mike	
Range	Diff.
24 & Below	-1100
25-26	-1000
27-29	-750
30-32	-500
33-34	-350
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-225
53 & Above	-400

Strength	
(Grams per Tex)	
Range	Diff.
19.0 - 19.9	-250
20.0 - 20.9	-250
21.0 - 21.9	-225
22.0 - 22.9	-200
23.0 - 23.9	-175
24.0 - 24.9	-175
25.0 - 25.9	-150
26.0 - 26.9	-100
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	25
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	10
84.0 - 84.9	10
85.0 - 85.9	20
86.0 & Above	30

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-500
Bark	
Level 1	-350
Level 2	-525
Other	
Level 1	-550
Level 2	-600

WEST TEXAS DIFFERENCES

10-May-17

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-275	-175	25	75	275	300	375	375
	3	-350	-225	-50	25	175	225	275	300
	4	-375	-250	-125	25	150	200	250	250
	5	-500	-275	-225	-75	75	200	200	200
	6	-675	-500	-425	-225	-200	-150	-150	-150
	7	-750	-550	-500	-300	-275	-225	-225	-225
31	1 & 2	-375	-225	-50	0	175	250	300	325
	3	-425	-250	-75	0	150	225	275	300
	4	-475	-300	-200	0	0	100	150	175
	5	-550	-350	-275	-150	-25	100	100	100
	6	-725	-550	-425	-250	-250	-225	-225	-225
	7	-825	-600	-500	-300	-300	-275	-275	-275
41	1 & 2	-525	-350	-150	0	100	175	225	225
	3	-550	-375	-175	0	25	150	200	200
	4	-600	-400	-325	72.00	0	75	125	125
	5	-625	-425	-350	-175	-75	25	25	25
	6	-775	-600	-525	-300	-275	-225	-225	-225
	7	-900	-700	-625	-400	-350	-300	-300	-300
51	1 & 2	-650	-450	-375	-75	25	75	75	75
	3	-650	-450	-375	-75	25	75	75	75
	4	-675	-450	-450	-150	-25	25	25	25
	5	-725	-550	-550	-300	-200	-125	-125	-125
	6	-875	-650	-650	-425	-350	-275	-275	-275
	7	-975	-750	-750	-525	-450	-400	-400	-400
61	1-5	-750	-575	-575	-300	-200	-150	-150	-150
	6	-875	-650	-650	-500	-400	-325	-325	-325
	7	-975	-800	-775	-575	-475	-425	-425	-425
71	1-6	-950	-775	-725	-575	-475	-450	-450	-450
	7	-1025	-800	-775	-600	-550	-525	-525	-525
12 & 22	1 & 2	-450	-250	-100	25	150	275	275	275
	3	-500	-300	-125	25	100	225	225	225
	4	-525	-350	-300	-150	25	200	200	200
	5	-650	-475	-475	-325	-125	-75	-75	-75
	6	-800	-600	-600	-425	-350	-300	-300	-300
	7	-875	-700	-675	-500	-425	-375	-375	-375
32	1 & 2	-500	-300	-150	-50	25	100	100	100
	3	-550	-350	-175	-100	-25	100	100	100
	4	-625	-425	-350	-175	-50	75	75	75
	5	-750	-625	-575	-375	-225	-175	-175	-175
	6	-900	-700	-675	-500	-425	-375	-375	-375
	7	-1000	-800	-725	-600	-500	-450	-450	-450
42	1-3	-650	-450	-400	-200	-125	50	50	50
	4	-700	-525	-425	-225	-150	25	25	25
	5	-800	-675	-600	-400	-250	-225	-225	-225
	6	-1000	-725	-700	-525	-450	-400	-400	-400
	7	-1075	-875	-800	-650	-525	-475	-475	-475
52	1-4	-875	-650	-625	-500	-375	-325	-325	-325
	5	-950	-750	-700	-550	-425	-375	-375	-375
	6	-1150	-925	-875	-675	-575	-525	-525	-525
	7	-1225	-1025	-975	-775	-675	-625	-625	-625
62	1-5	-1000	-825	-800	-650	-550	-500	-500	-500
	6	-1175	-975	-950	-800	-725	-675	-675	-675

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-600	-400	-350	-200	-125	-100	-100	-100
	3	-650	-425	-375	-225	-150	-125	-125	-125
	4	-675	-500	-450	-275	-200	-175	-175	-175
	5	-800	-600	-575	-400	-325	-275	-275	-275
	6	-900	-675	-650	-475	-400	-350	-350	-350
	7	-975	-775	-725	-525	-500	-450	-450	-450
33	1 & 2	-725	-475	-425	-250	-200	-175	-175	-175
	3	-725	-475	-425	-250	-200	-175	-175	-175
	4	-800	-550	-500	-300	-250	-225	-225	-225
	5	-950	-675	-625	-450	-375	-325	-325	-325
	6	-1000	-750	-750	-500	-475	-425	-425	-425
	7	-1075	-850	-800	-625	-575	-525	-525	-525
43	1-3	-775	-575	-525	-325	-275	-225	-225	-225
	4	-850	-650	-575	-350	-275	-225	-225	-225
	5	-975	-750	-675	-475	-400	-350	-350	-350
	6	-1050	-825	-775	-575	-550	-500	-500	-500
	7	-1125	-925	-850	-650	-625	-575	-575	-575
53	1-4	-950	-825	-750	-525	-475	-425	-425	-425
	5	-1050	-875	-825	-625	-575	-525	-525	-525
	6	-1175	-975	-925	-725	-700	-650	-650	-650
	7	-1250	-1050	-1025	-850	-825	-775	-775	-775
63	1-5	-1175	-975	-900	-675	-600	-550	-550	-550
	6	-1250	-1075	-975	-825	-775	-725	-725	-725
34	1 & 2	-800	-600	-550	-375	-350	-300	-300	-300
	3	-800	-600	-550	-375	-350	-300	-300	-300
	4	-925	-725	-650	-475	-450	-400	-400	-400
	5	-1025	-825	-775	-600	-575	-525	-525	-525
	6	-1175	-975	-925	-800	-775	-725	-725	-725
44	1-3	-925	-725	-675	-500	-475	-425	-425	-425
	4	-1000	-825	-725	-550	-525	-475	-475	-475
	5	-1100	-900	-825	-650	-625	-575	-575	-575
	6	-1250	-1050	-1000	-875	-850	-800	-800	-800
54	1-4	-1025	-850	-800	-625	-600	-550	-550	-550
	5	-1125	-925	-850	-750	-725	-675	-675	-675

Mike	
Range	Diff.
24 & Below	-1100
25-26	-1000
27-29	-750
30-32	-500
33-34	-350
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-225
53 & Above	-400

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-250
20.0 - 20.9	-250
21.0 - 21.9	-225
22.0 - 22.9	-200
23.0 - 23.9	-175
24.0 - 24.9	-175
25.0 - 25.9	-150
26.0 - 26.9	-100
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	25
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	10
85.0 - 85.9	20
86.0 & Above	30

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-500
Bark	
Level 1	-350
Level 2	-525
Other	
Level 1	-550
Level 2	-600

DESERT SOUTHWEST DIFFERENCES

10-May-17

Color	Leaf	Staple						Mike	
		33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-100	125	550	610	645	670	24 & Below	-1200
	3	-100	100	475	585	595	620	25-26	-1000
	4	-300	50	300	335	370	370	27-29	-900
	5	-375	-175	25	100	185	185	30-32	-500
	6	-450	-350	-100	-85	-30	-30	33-34	-300
	7	-650	-375	-175	-140	-100	-100	35-36	0
								37-42	25
31	1 & 2	-175	75	500	585	620	645	43-49	0
	3	-175	50	400	535	545	570	50-52	-300
	4	-350	25	200	285	320	345	53 & Above	-550
	5	-400	-200	-50	0	70	70		
	6	-475	-375	-135	-120	-40	-40		
	7	-675	-400	-225	-195	-115	-115		
41	1 & 2	-575	0	50	110	120	145	Strength	
	3	-575	0	35	85	120	145	(Grams per Tex)	
	4	-625	70.99	25	35	95	95	Range	Diff.
	5	-625	-500	-350	-340	-280	-280	21.0 - 21.9	-600
	6	-800	-675	-450	-440	-390	-390	22.0 - 22.9	-450
	7	-950	-825	-625	-620	-585	-585	23.0 - 23.9	-300
								24.0 - 24.9	-225
51	1 & 2	-675	-500	-250	-215	-205	-205	25.0 - 25.9	-200
	3	-675	-500	-250	-215	-205	-205	26.0 - 26.9	-125
	4	-700	-575	-375	-325	-265	-265	Base 27.0 - 28.9	0
	5	-800	-750	-575	-550	-500	-500	29.0 - 29.9	0
	6	-950	-850	-650	-650	-600	-600	30.0 - 30.9	25
	7	-1150	-1050	-850	-850	-825	-825	31.0 - 32.9	50
								33.0 & above	100
12 & 22	1 & 2	-475	50	325	385	445	445	Extraneous Matter	
	3	-475	50	300	360	420	420	Prep	Diff.
	4	-575	0	225	285	370	370	Level 1	-50
	5	-600	-425	-125	-125	-50	-50	Level 2	-800
	6	-750	-625	-325	-325	-250	-250		
	7	-925	-800	-575	-575	-500	-500		
32	1 & 2	-575	-200	150	235	245	245	Uniformity	
	3	-575	-200	150	235	245	245	Unit	Points
	4	-625	-425	0	85	95	95	77.9 & Below	-100
	5	-675	-675	-400	-400	-400	-400	78.0 - 78.9	-90
	6	-875	-800	-525	-525	-525	-525	79.0 - 79.9	-80
	7	-1025	-975	-775	-775	-775	-775	80.0 - 80.9	0
								Base 81.0 - 81.9	0
42	1-3	-625	-450	-150	-100	-100	-100	82.0 - 82.9	0
	4	-650	-525	-250	-200	-200	-200	83.0 - 83.9	30
	5	-725	-700	-450	-450	-450	-450	84.0 - 84.9	40
	6	-900	-825	-575	-575	-575	-575	85.0 - 85.9	50
	7	-1100	-1000	-825	-825	-825	-825	86.0 & Above	60
52	1-4	-850	-725	-500	-450	-450	-450		
	5	-900	-800	-575	-575	-575	-575		
	6	-1000	-900	-675	-675	-675	-675		
	7	-1250	-1150	-975	-950	-950	-950		
43	1-3	-725	-650	-575	-500	-500	-500		
	4	-825	-750	-625	-575	-575	-575		
	5	-925	-825	-650	-625	-625	-625		
	6	-1025	-925	-900	-900	-900	-900		
	7	-1125	-1050	-1025	-1025	-1025	-1025		
53	1-4	-975	-875	-800	-800	-800	-800		
	5	-1025	-925	-850	-850	-850	-850		
	6	-1125	-1025	-950	-950	-950	-950		
	7	-1375	-1275	-1275	-1275	-1275	-1275		

Color	Leaf	Staple					Mike	
		34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	415	1040	1390	1540	1765	27-29	-1600
	3	365	990	1340	1465	1665	30-32	-1000
	4	75	350	400	500	500	33-34	-500
	5	-125	75	130	190	190	Base 35-36	0
	6	-400	-200	-150	-100	-100	37-42	25
	7	-625	-525	-475	-425	-425	Base 43-49	0
							50-52	-500
31	1 & 2	315	940	1290	1415	1590		
	3	265	890	1240	1365	1540		
	4	50	300	330	410	410		
	5	-200	0	55	115	115		
	6	-500	-325	-275	-225	-225		
	7	-675	-575	-525	-475	-475		
41	1 & 2	100	350	430	440	440	Strength	
	3	50	250	330	340	340	(Grams per Tex)	
	4	71.99	200	280	290	290	Range	Diff.
	5	-425	-200	-195	-185	-185	24.0 - 24.9	-500
	6	-625	-450	-450	-450	-450	25.0 - 25.9	-400
	7	-825	-725	-725	-725	-725	26.0 - 26.9	-300
							Base 27.0 - 28.9	0
51	1 & 2	-675	-225	-175	-175	-175	29.0 - 29.9	0
	3	-700	-250	-200	-200	-200	30.0 - 30.9	75
	4	-750	-300	-275	-275	-275	31.0 - 32.9	125
	5	-775	-375	-325	-325	-325	33.0 & Above	250
	6	-900	-800	-800	-800	-800		
	7	-1050	-1000	-1000	-1000	-1000		
12 & 22	1 & 2	125	575	830	965	1140		
	3	50	500	780	890	1040		
	4	-75	325	375	440	440		
	5	-250	-50	0	50	50		
	6	-525	-400	-350	-300	-300		
	7	-775	-700	-650	-600	-600		
32	1 & 2	0	250	325	375	475	Extraneous Matter	
	3	-50	200	275	325	425	Prep	Diff.
	4	-200	25	50	100	100	Level 1	-50
	5	-525	-275	-275	-275	-275	Level 2	-800
	6	-675	-475	-475	-475	-475		
	7	-850	-750	-750	-750	-750		
42	1-3	-450	-100	-75	-75	-75	Level 1	-350
	4	-500	-175	-150	-150	-150	Level 2	-925
	5	-675	-350	-300	-300	-300		
	6	-800	-775	-775	-775	-775		
	7	-1000	-950	-950	-950	-950		
52	1-4	-825	-775	-775	-775	-775	Uniformity	
	5	-875	-825	-825	-825	-825	Unit	Points
	6	-1025	-1025	-1025	-1025	-1025	77.9 & Below	-60
	7	-1225	-1225	-1225	-1225	-1225	78.0 - 78.9	-50
							79.0 - 79.9	-40
							80.0 - 80.9	0
							Base 81.0 - 81.9	0
33	1 & 2	-500	-500	-500	-500	-500	82.0 - 82.9	50
	3	-500	-500	-500	-500	-500	83.0 - 83.9	80
	4	-600	-600	-600	-600	-600	84.0 - 84.9	90
	5	-800	-800	-800	-800	-800	85.0 - 85.9	100
	6	-1075	-1075	-1075	-1075	-1075	86.0 & Above	110
	7	-1225	-1225	-1225	-1225	-1225		
43	1-3	-875	-875	-875	-875	-875		
	4	-925	-925	-925	-925	-925		
	5	-1075	-1075	-1075	-1075	-1075		
	6	-1225	-1225	-1225	-1225	-1225		
	7	-1425	-1425	-1425	-1425	-1425		

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

AMERICAN PIMA SPOT QUOTATIONS

Color	Leaf	Staple		
		44	46	48
1	1	138.50	146.50	147.75
	2	138.25	146.25	147.50
	3	130.50	137.50	137.75
	4			
	5			
	6			
2	1	138.25	146.25	147.50
	2	138.00	146.00	147.25
	3	130.25	137.25	137.50
	4	120.25	127.75	128.00
	5			
	6			
3	1	128.00	135.00	135.25
	2	125.50	132.50	132.75
	3	124.25	131.25	131.50
	4	115.25	122.25	122.50
	5	99.25	105.75	106.00
	6			
4	1	109.00	116.00	117.00
	2	108.75	115.75	116.25
	3	108.50	115.50	115.50
	4	103.50	110.50	110.50
	5	92.25	99.25	99.25
	6			
5	1			
	2	88.00	97.25	97.25
	3	88.00	96.75	97.25
	4	88.00	91.25	91.25
	5	87.75	91.00	91.00
	6			
6	1			
	2	80.25	82.50	82.50
	3	80.25	82.50	82.50
	4	80.25	82.50	82.50
	5	80.00	82.25	82.25
	6	79.50	81.75	81.75

The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on February 3, 2017.

Mike

Range	Diff.
26 & Below	-1900
27-29	-1400
30-32	-900
33-34	-400
35 & Above	0

Strength

(Grams per Tex)	
Range	Diff.
35.4 & Below	-1350
35.5-36.4	-1100
36.5-37.4	-850
37.5 & Above	0

Extraneous Matter

Prep	Diff.
Level 1	-810
Level 2	-1095
Other	
Level 1	-715
Level 2	-1035

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

UNITED STATES AVERAGE DIFFERENCES

10-May-17

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-288	-220	-58	141	377	539	609	644
	3	-350	-240	-75	116	320	482	534	569
	4	-400	-265	-188	39	146	284	324	324
	5	-488	-380	-296	-89	43	115	143	143
	6	-650	-495	-442	-321	-221	-180	-165	-165
	7	-725	-590	-558	-429	-346	-302	-289	-289
31	1 & 2	-363	-235	-92	99	327	507	555	587
	3	-400	-245	-100	88	281	450	498	530
	4	-475	-290	-225	21	100	216	251	258
	5	-538	-400	-313	-146	-14	44	69	69
	6	-688	-510	-450	-343	-259	-228	-209	-209
	7	-775	-605	-567	-439	-371	-342	-324	-324
41	1 & 2	-488	-320	-238	43	143	249	269	276
	3	-513	-330	-246	29	91	199	223	230
	4	-563	-360	-329	73.24	54	145	173	176
	5	-613	-470	-417	-268	-150	-91	-77	-77
	6	-763	-575	-550	-446	-354	-316	-309	-309
	7	-875	-685	-688	-586	-496	-481	-476	-476
51	1 & 2	-613	-540	-438	-318	-161	-127	-122	-122
	3	-613	-580	-442	-339	-179	-141	-136	-136
	4	-650	-600	-471	-389	-246	-214	-202	-202
	5	-700	-685	-642	-514	-375	-339	-329	-329
	6	-863	-765	-746	-625	-550	-532	-525	-525
	7	-963	-850	-871	-764	-682	-668	-664	-664
61	1-5	-725	-720	-655	-480	-425	-410	-410	-410
	6	-875	-825	-775	-645	-605	-585	-585	-585
	7	-975	-940	-895	-735	-695	-680	-680	-680
71	1-6	-925	-1020	-965	-820	-780	-770	-770	-770
	7	-1013	-1060	-1015	-855	-835	-825	-825	-825
12 & 22	1 & 2	-475	-275	-175	61	229	370	405	434
	3	-513	-295	-188	43	182	324	362	387
	4	-550	-320	-283	-29	111	234	262	266
	5	-650	-490	-442	-264	-89	-39	-14	-14
	6	-813	-610	-588	-464	-346	-318	-293	-293
	7	-913	-695	-700	-596	-507	-479	-461	-461
32	1 & 2	-513	-375	-279	-71	71	137	146	160
	3	-550	-390	-292	-89	36	109	117	131
	4	-613	-440	-350	-207	-61	-9	-1	-1
	5	-725	-590	-504	-379	-264	-225	-225	-225
	6	-888	-680	-667	-546	-446	-425	-425	-425
	7	-1013	-785	-775	-671	-593	-579	-579	-579
42	1-3	-613	-535	-454	-300	-154	-107	-107	-107
	4	-663	-575	-475	-339	-221	-175	-175	-175
	5	-788	-710	-621	-489	-361	-339	-339	-339
	6	-1000	-800	-767	-636	-564	-546	-546	-546
	7	-1100	-895	-858	-775	-700	-689	-689	-689
52	1-4	-825	-715	-642	-575	-500	-486	-486	-486
	5	-900	-790	-750	-657	-582	-575	-575	-575
	6	-1113	-940	-892	-800	-739	-732	-732	-732
	7	-1200	-1025	-1021	-939	-886	-868	-868	-868
62	1-5	-950	-920	-855	-730	-695	-685	-685	-685
	6	-1150	-1085	-1020	-875	-845	-830	-830	-830

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-650	-488	-425	-188	-113	-63	-63	-63
	3	-688	-513	-450	-213	-138	-88	-88	-88
	4	-725	-588	-513	-263	-188	-138	-138	-138
	5	-850	-688	-638	-388	-313	-250	-250	-250
	6	-963	-763	-700	-450	-400	-338	-338	-338
	7	-1050	-863	-800	-538	-513	-450	-450	-450
33	1 & 2	-763	-563	-500	-325	-292	-258	-258	-258
	3	-763	-563	-500	-325	-292	-258	-258	-258
	4	-838	-638	-563	-392	-358	-325	-325	-325
	5	-988	-750	-675	-550	-508	-467	-467	-467
	6	-1050	-825	-788	-683	-675	-633	-633	-633
	7	-1138	-938	-863	-817	-800	-758	-758	-758
43	1-3	-813	-800	-679	-557	-518	-486	-486	-486
	4	-888	-845	-729	-604	-550	-521	-521	-521
	5	-1013	-900	-829	-743	-689	-668	-668	-668
	6	-1100	-980	-917	-839	-821	-804	-804	-804
	7	-1188	-1105	-1025	-964	-946	-929	-929	-929
53	1-4	-963	-945	-871	-729	-688	-671	-671	-671
	5	-1063	-1025	-971	-821	-788	-771	-771	-771
	6	-1175	-1140	-1058	-908	-883	-867	-867	-867
	7	-1263	-1205	-1196	-1038	-1021	-1004	-1004	-1004
63	1-5	-1175	-1120	-1055	-890	-850	-830	-830	-830
	6	-1263	-1210	-1135	-965	-940	-920	-920	-920
34	1 & 2	-838	-688	-638	-388	-375	-338	-338	-338
	3	-838	-688	-638	-388	-375	-338	-338	-338
	4	-963	-813	-738	-488	-475	-438	-438	-438
	5	-1063	-913	-863	-613	-600	-563	-563	-563
	6	-1225	-1075	-1025	-800	-788	-750	-750	-750
44	1-3	-950	-800	-750	-500	-488	-450	-450	-450
	4	-1025	-900	-800	-550	-538	-500	-500	-500
	5	-1113	-975	-900	-650	-638	-600	-600	-600
	6	-1275	-1125	-1075	-850	-838	-800	-800	-800
54	1-4	-1050	-925	-875	-625	-613	-575	-575	-575
	5	-1150	-1013	-938	-725	-713	-675	-675	-675

Mike	
Range	Diff.
24 & Below	-1133
25-26	-988
27-29	-832
30-32	-489
33-34	-271
Base 35-36	0
37-42	14
Base 43-49	0
50-52	-271
53 & Above	-413

Strength	
(Grams per Tex)	
Range	Diff.
19.0 - 19.9	-250
20.0 - 20.9	-250
21.0 - 21.9	-342
22.0 - 22.9	-279
23.0 - 23.9	-225
24.0 - 24.9	-239
25.0 - 25.9	-200
26.0 - 26.9	-100
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	32
31.0 - 32.9	54
33.0 & Above	79

Uniformity	
Unit	Points
77.9 & Below	-92
78.0 - 78.9	-80
79.0 - 79.9	-69
80.0 - 80.9	-4
Base 81.0 - 81.9	0
82.0 - 82.9	7
83.0 - 83.9	29
84.0 - 84.9	37
85.0 - 85.9	47
86.0 & Above	57

Extraneous Matter	
Prep	Diff.
Level 1	-157
Level 2	-714
Other (ET-OK and WT not included)	
Level 1	-421
Level 2	-756
Bark - ET-OK and WT only	
Level 1	-350
Level 2	-525