Express Scripts
NCPDP Version D.0 Payer Sheet
Commercial

IMPORTANT NOTE: ***Express Scripts only accepts NCPDP Version D.0 electronic transactions. This documentation is to be used for programming the fields and values Express Scripts will accept when processing these claims.***

Claim transaction segments not depicted within this document may be accepted during the transmission of a claim. However, Express Scripts may not use the information submitted to adjudicate claims. All values submitted will be validated against the NCPDP External Code List version as indicated below.

This payer sheet includes processing information for both Legacy Express Scripts and Legacy Medco.

General Information:

Payer Name: Express Scripts	Date: **December 31, 2016**
Processor: Express Scripts	Switch:
Effective: January 1, 2017	Version/Release Number: D.0
NCPDP Data Dictionary Version Date: **October 2015**	NCPDP External Code List Version Date: **October 2016**
	NCPDP Emergency External Code List Version Date: **July 2016**
Contact/Information Source: Network Contracting & Management Account Manager, or (800) 824-0898, or Express-Scripts.com	
Testing Window: As determined by testing coordinator	
Pharmacy Help Desk Info: (800) 824-0898	
Other versions supported: N/A	

Note: All fields requiring alphanumeric data must be submitted in UPPER CASE.

BIN/PCN Table

Plan Name/Group Name	BIN	PCN
Legacy ESI Commercial	ØØ3858	A4 (or as assigned by ESI) SC (Use when secondary to Medicare Part D only)
Legacy Medco Commercial	61ØØ14	Provided on card or anything but zeros
Legacy Medco Commercial – Copay only	61ØØ14	COPAY
Legacy Medco Commercial – Secondary Payer Non-Medicare Part D (Based on Other Payer Paid)	61ØØ14	COBSEG
Legacy Medco Commercial – Secondary to Medicare Part D Other Payer Primary (Based on Other Payer Paid)	61ØØ31	MEDDCOBSEG
Legacy Medco Commercial – Secondary to Medicare Part D Other Payer Patient Responsibility	61ØØ31	MEDDCOPAY
Legacy Medco Member Balance Inquiry	61ØØ56	Provided on card or anything but zeros
Legacy Medco Member Balance Inquiry – Secondary Payer Non-Medicare Part D	61ØØ56	COBSEG
Legacy Medco Member Balance Inquiry – Secondary Payer Non-Medicare Part D (Co-Pay Only)	61ØØ56	COPAY
Emblem Health/GHI Commercial	Ø13865	Not Used
Emblem Health/HIP Commercial	4ØØØ23	Not Used
Emblem Health Commercial (Healthcare Exchange)	4ØØØ23	Ø1Ø71998
Emblem Health/Vytra Health Plan	Ø1ØØ33	Not Used
Emblem Connecticare Medicare Part B only	Ø13337	Not Used
Emblem HIP Medicare Part B only	4ØØØ23	Not Used
Emblem Health GHI Part B only	Ø13344	Not Used
WellPoint Commercial	61ØØ53 61Ø575	Not Required

Express Scripts
NCPDP Version D.0 Payer Sheet
Commercial

Section I: Claim Billing (In Bound)

Transaction Header Segment – Mandatory in all cases

Field #	NCPDP Field Name	Value	Payer Usage
1Ø1-A1	BIN Number	See BIN/PCN table, above	M
1Ø2-A2	Version Release Number	DØ=Version D.0	M
1Ø3-A3	Transaction Code	B1=Billing	M
1Ø4-A4	Processor Control Number	As indicated above	M
1Ø9-A9	Transaction Count	1=One Occurrence 2=Two Occurrences 3=Three Occurrences 4=Four Occurrences	M (BIN 61ØØ56 only allows TRANS COUNT = 1). All others allow 1-4
2Ø2-B2	Service Provider ID Qualifier	Ø1=NPI	M
2Ø1-B1	Service Provider ID	Pharmacy NPI	M
4Ø1-D1	Date of Service		M
11Ø-AK	Software Vendor/Certification ID		O

Insurance Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø4=Insurance	M
3Ø2-C2	Cardholder ID	ID assigned to the cardholder	M
312-CC	Cardholder First Name		R
313-CD	Cardholder Last Name		R
524-FO	Plan ID		O
3Ø9-C9	Eligibility Clarification Code	Ø=Not Specified 1=No Override 2=Override 3=Full Time Student 4=Disabled Dependent 5=Dependent Parent 6=Significant Other	R
3Ø1-C1	Group ID	As appears on card	R
3Ø3-C3	Person Code	P1-P9 Dependent person code (1-9 represents specific dependent; maximum of 9 dependents)	R
3Ø6-C6	Patient Relationship Code	Ø=Not Specified 1=Cardholder – The individual that is enrolled in and receives benefits from a health plan 2=Spouse – Patient is the husband/wife/partner of the cardholder 3=Child – Patient is a child of the cardholder 4=Other – Relationship to cardholder is not precise	R
359-2A	Medigap ID		O
36Ø-2B	Medicaid Indicator		O
115-N5	Medicaid ID Number		O

Confidential Information

Express Scripts
NCPDP Version D.0 Payer Sheet
Commercial

Patient Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø1=Patient	M
331-CX	Patient ID Qualifier		O
332-CY	Patient ID	As indicated on member ID card	O
3Ø4-C4	Date of Birth		R
3Ø5-C5	Patient Gender Code	1=Male 2=Female	R
31Ø-CA	Patient First Name	Example: John	R
311-CB	Patient Last Name	Example: Smith	R
322-CM	Patient Street Address		O
323-CN	Patient City		O
324-CO	Patient State or Province		O
325-CP	Patient Zip/Postal Code		R*
3Ø7-C7	Place of Service	Ø1 = Pharmacy	R
335-2C	Pregnancy Indicator	Blank = Not Specified 1=Pregnant 2=Not Pregnant	O
384-4X	Patient Residence		R

*For Emergency/Natural Disaster claims, enter the current ZIP code of displaced patient in conjunction with Prior Authorization Type Code (461-EU) and Prior Auth Number Submitted (462-EV) fields.

Claim Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø7=Claim	M
455-EM	Prescription/Service Reference Number Qualifier	1=Rx Billing* *Pharmacist should enter "1" when processing claim for a vaccine drug and vaccine administration.	M
4Ø2-D2	Prescription/Service Reference Number		M
436-E1	Product/Service ID Qualifier	ØØ = Not specified* Ø3=National Drug Code	M
4Ø7-D7	Product/Service ID		M
442-E7	Quantity Dispensed		R
4Ø3-D3	Fill Number	Ø=Original Dispensing 1 to 99 = Refill number	R
4Ø5-D5	Days Supply		R
4Ø6-D6	Compound Code	1=Not a Compound 2=Compound*	R
4Ø8-D8	Dispense as Written (DAW)/Product Selection Code		R
414-DE	Date Prescription Written		R
415-DF	Number of Refills Authorized	ØØ =No refills authorized Ø1 through 99, with 99 being as needed, refills	R

Confidential Information

		unlimited	
419-DJ	Prescription Origin Code	Ø=Not known 1=Written 2=Telephone 3=Electronic 4=Facsimile 5=Pharmacy	R
354-NX	Submission Clarification Code Count	Maximum count of 3	O
42Ø-DK	Submission Clarification Code		O
3Ø8-C8	Other Coverage Code	Ø=Not Specified by patient 1=No other coverage 2=Other coverage exists - payment collected* 3=Other coverage billed - claim not covered* 4=Other coverage exists - payment not collected* 8=Claim is billing for patient financial responsibility only*	R (*Requires COB segment to be sent.)
454-EK	Scheduled Prescription ID Number		RW (Must be provided when State Medicaid Regulations require this information)
6ØØ-28	Unit of Measure	EA=Each GM=Grams ML=Milliliters	R
418-DI	Level of Service		RW (This field could result in different coverage, pricing, or patient financial responsibility)
461-EU	Prior Authorization Type Code	Ø=Not specified 1=Prior Authorization 2=Medical Certification 8=Payer Defined Exemption 9=Emergency Preparedness**	RW (When value 1, 8, or 9 is used in conjunction with Prior Authorization Number Submitted (462-EV).

Express Scripts
NCPDP Version D.0 Payer Sheet
Commercial

462-EV	Prior Auth Number Submitted	Submitted when requested by processor. Examples: Prior authorization procedures for physician authorized dosage or day supply increases for reject 79 'Refill Too Soon'.	RW (461-EU = 1, 8 or 9) For Legacy Medco – If 461-EU = 1, then use 1111. If 461-EU = 8, then use 9999. If 461-EU = 9, then use the value returned from 489-PY (Prior Authorization Number – Assigned)
357-NV	Delay Reason Code		RW (Needed to specify the reason that submission of transaction has been delayed)†
995-E2	Route of Administration		RW (Required for Compounds)
147-U7	Pharmacy Service Type	Ø1= Community/Retail Pharmacy Services Ø3= Home Infusion Therapy Services Ø5= Long Term Care Pharmacy Services	R
456-EN	Associated Prescription/Service Reference Number		RW (Field 343-HD = C or P)
457-EP	Associated Prescription/Service Date		RW (Field 343-HD = C or P)
343-HD	Dispensing Status	P = Partial C = Complete	RW (Partial fill or completion of a fill)
344-HF	Quantity Intended to be Dispensed		RW (Partial fill or completion of a fill)
345-HG	Days Supply Intended to be Dispensed		RW (Partial fill or completion of a fill)

*The Product/Service ID (4Ø7-D7) must contain a value of "Ø" and Product/Service ID Qualifier (436-E1) must contain a value of "ØØ" when used for multi-ingredient compounds. Partial fills are **not** allowed for Multi-Ingredient Compound claims.

**For value "9=Emergency Preparedness" Field *462-EV Prior Authorization Number Submitted* supports the following values when an emergency healthcare disaster has officially been declared by appropriate U.S. government agency.
911ØØØØØØØ1 Emergency Preparedness (EP) Refill Too Soon Edit Override

Confidential Information

Express Scripts
NCPDP Version D.0 Payer Sheet
Commercial

†For Field 357-NV (Delay Reason Code), all valid values are accepted. Values of 1, 2, 7, 8, 9, 1Ø may be allowed to override Reject 81 (Claim Too Old).

Pricing Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	11=Pricing	M
4Ø9-D9	Ingredient Cost Submitted		R
412-DC	Dispensing Fee Submitted		R
433-DX	Patient Paid Amount Submitted		O
438-E3	Incentive Amount Submitted		RW (Value has an effect on Gross Amount (43Ø-DU) calculation). Use when submitting claim for vaccine drug and administrative fee together)
481-HA	Flat Sales Tax Amount Submitted		RW * (Value has an effect on Gross Amount (43Ø-DU) calculation)
482-GE	Percentage Sales Tax Amount Submitted		RW * (Value has an effect on Gross Amount (43Ø-DU) calculation)
483-HE	Percentage Sales Tax Rate Submitted		RW * (Percentage Sales Tax Amount Submitted (482-GE) and Percentage Sales Tax Basis Submitted (484-JE) are used or if needed to calculate Percentage Sales Tax Amount Paid (559-AX).
Field #	**NCPDP Field Name**	**Value**	**Payer Usage**

Confidential Information

484-JE	Percentage Sales Tax Basis Submitted		RW (Percentage Sales Tax submitted (482-GE) and Percentage Sales Tax Rate Submitted (483-HE) are used)
426-DQ	Usual and Customary Charge		R
43Ø-DU	Gross Amount Due		R
423-DN	Basis of Cost Determination		R

*It is not permissible to submit Sales Tax unless required by State law.

Prescriber Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø3=Prescriber	M
466-EZ	Prescriber ID Qualifier	Ø1=NPI Ø8=State License 12=DEA (Drug Enforcement Administration)	R
411-DB	Prescriber ID	NPI*	R
427-DR	Prescriber Last Name		RW (Prescriber ID Qualifier (466-EZ) =Ø8)
367-2N	Prescriber State/Province Address		RW (Prescriber ID Qualifier (466-EZ) = Ø8, 12)

Express Scripts edits the qualifiers in field 466-EZ. A valid Prescriber ID is required for all claims. Claims that cannot be validated may be subject to post-adjudication review.

* For vaccines or other products not requiring a prescription, an individual NPI is required. It may be the prescriber who wrote the prescription or alternate care provider (pharmacist, nurse practitioner, etc.) who administered the vaccine or dispensed the medication.

Express Scripts
NCPDP Version D.0 Payer Sheet
Commercial

Coordination of Benefits/Other Payments Segment – Situational

(Required only for secondary, tertiary, etc. claims. Will support only one transaction per transmission.)

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø5=COB/Other Payments	M
337-4C	Coordination of Benefits/Other Payments Count	Maximum count of 9	M
338-5C	Other Payer Coverage Type		M
339-6C	Other Payer ID Qualifier	Ø3=BIN Ø5=Medicare Carrier Number	RW (Other Payer ID (34Ø-7C) is used)
34Ø-7C	Other Payer ID		R
443-E8	Other Payer Date		R
341-HB	Other Payer Amount Paid Count	Maximum count of 9	RW (Other Payer Amount Paid Qualifier (342-HC) is used
342-HC	Other Payer Amount Paid Qualifier	Ø7=Drug Benefit 1Ø=Sales Tax	RW (If Other Payer Amount Paid (431-DV) is used
431-DV	Other Payer Amount Paid		RW (If other payer has approved payment for some/all of the billing) (Not used for non-governmental agency programs if Other Payer-Patient Responsibility Amount (352-NQ) is submitted) (Not used for patient financial responsibility only billing)

Confidential Information

Express Scripts
NCPDP Version D.0 Payer Sheet
Commercial

Field #	NCPDP Field Name	Value	Payer Usage
471-5E	Other Payer Reject Count	Maximum count of 5	RW (Other Payer Reject Code (472-6E) is used)
472-6E	Other Payer Reject Code		RW (Other Payer Reject Count (471-5E) is used)
353-NR	Other Payer – Patient Responsibility Amount Count	Maximum count of 13	RW (Other Payer-Patient Responsibility Amount Qualifier (351-NP) is used)
351-NP	Other Payer – Patient Responsibility Amount Qualifier		RW (Other Payer-Patient Responsibility Amount (352-NQ) is used)
352-NQ	Other Payer – Patient Responsibility Amount		RW (Necessary for Patient Financial Responsibility Only Billing)
392-MU	Benefit Stage Count	Maximum count of 4	RW (Secondary to Medicare)
393-MV	Benefit Stage Qualifier	Occurs up to 4 times	RW (Secondary to Medicare)
394-MW	Benefit Stage Amount		RW (Secondary to Medicare)

The COB segment and all required fields must be sent if the Other Coverage Code (3Ø8-C8) field with values = 2 through 4 or 8 are submitted in the claim segment.

Note: If field 3Ø8-C8 (Other Coverage Code) is populated with:

- Value of 2 = Other coverage exists – payment collected; fields 341-HB, 342-HC and 431-DV are required and must have values entered. Field 431-DV must **not** be zero ($0.00). The sum of all occurrences must not be zero.
- Value of 3 = Other coverage billed – claim not covered; fields 471-5E and 472-6E are required and must have values entered.
- Value of 4 = Other coverage exists – payment not collected; fields 341-HB, 342-HC and 431-DV are required and must have values entered. Field 431-DV must be zero ($0.00). The sum of all occurrences must be zero.
- Value of 8 = Claim is billing for patient financial responsibility only; fields 353-NR, 351-NP and 352-NQ are required and must have values entered. Note: WellPoint does not accept a value of 8 in 3Ø8-C8.
- Values of 5, 6, or 7 will be rejected.

DUR/PPS Segment – Situational

Express Scripts
NCPDP Version D.0 Payer Sheet
Commercial

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø8=DUR/PPS	M
473-7E	DUR/PPS Code Counter	1=Rx Billing (maximum of 9 occurrences)	R
439-E4	Reason for Service Code	AT=Additive Toxicity DD=Drug-Drug Interaction	R
44Ø-E5	Professional Service Code	ØØ=No intervention MØ=Prescriber Consulted MA=Medication Administered – indicates the administration of a covered vaccine*	R
441-E6	Result of Service Code	1G=Filled, With Prescriber Approval	R
474-8E	DUR/PPS Level of Effort	11=Level 1 (Lowest) 12=Level 2 13=Level 3 14=Level 4 15=Level 5 (Highest)	R**

*Indicates the claim billing includes a charge for administration of the vaccine; leave blank if dispensing vaccine without administration.
**When submitting a compound claim, Field 474-8E is required; using the values consistent with your contract.

Compound Segment – Situational

(Required when submitting a compound claim. Will support only one transaction per transmission)

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	1Ø=Compound	M
45Ø-EF	Compound Dosage Form Description Code		M
451-EG	Compound Dispensing Unit Form Indicator	1=Each 2=Grams 3=Milliliters	M
447-EC	Compound Ingredient Component Count	Maximum 25 ingredients	M
488-RE	Compound Product ID Qualifier	Ø3=NDC	M
489-TE	Compound Product ID	At least 2 ingredients and 2 NDC #s. Number should equal field 447-EC.	M
448-ED	Compound Ingredient Quantity		M
449-EE	Compound Ingredient Drug Cost		R
49Ø-UE	Compound Ingredient Basis of Cost Determination		R

Clinical Segment – Situational

May be required as determined by benefit design. When the segment is submitted, the fields defined below are required.

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	13=Clinical	M
491-VE	Diagnosis Code Count	Maximum count of 5	R
492-WE	Diagnosis Code Qualifier	Ø2=ICD-10	R
424-DO	Diagnosis Code		R

Section II: Response Claim Billing (Out Bound)

Express Scripts
NCPDP Version D.0 Payer Sheet
Commercial

Response Header Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
1Ø2-A2	Version Release Number	DØ =Version D.Ø	M
1Ø3-A3	Transaction Code	B1=Billing	M
1Ø9-A9	Transaction Count	Same value as in request	M
5Ø1-FI	Header Response Status	A=Accepted R=Rejected	M
2Ø2-B2	Service Provider ID Qualifier	Same value as in request	M
2Ø1-B1	Service Provider ID	Same value as in request	M
4Ø1-D1	Date of Service	Same value as in request	M

Response Message Segment – Situational

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	2Ø=Response Message	M
5Ø4-F4	Message		O

Response Insurance Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	25=Response Insurance	M
3Ø1-C1	Group ID		R
524-FO	Plan ID		O
545-2F	Network Reimbursement ID	Network ID	R
568-J7	Payer ID Qualifier		O
569-J8	Payer ID		O
3Ø2-C2	Cardholder ID		R

Response Status Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	21=Response Status	M
112-AN	Transaction Response Status	P=Paid D=Duplicate of Paid R=Reject	M
5Ø3-F3	Authorization Number		RW (Transaction Response Status = P)
547-5F	Approved Message Code Count	Maximum count of 5	RW (If Approved Message Code (548-6F) is used)
548-6F	Approved Message Code		RW (If Approved Message Code Count (547-5F) is used)

Confidential Information

51Ø-FA	Reject Count	Maximum count of 5	RW (Transaction Response Status = R)
511-FB	Reject Code		RW (Transaction Response Status = R)
546-4F	Reject Field Occurrence Indicator		RW (If repeating field is in error to identify repeating field occurrence)
13Ø-UF	Additional Message Information Count	Maximum count of 9	RW (Additional Message (526-FQ) is used)
132-UH	Additional Message Information Qualifier		RW (Additional Message (526-FQ) is used)
526-FQ	Additional Message Information		RW (Additional text is needed for clarification or detail)
131-UG	Additional Message Information Continuity		RW (Current repetition of Additional Message Information (526-FQ) is used and another repetition (526-FQ) follows, and text is continuation of the current)
549-7F	Help Desk Phone Number Qualifier		O
55Ø-8F	Help Desk Phone Number		O
987-MA	URL		R* (only returned on a rejected response)

Response Claim Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	22=Response Claim	M

455-EM	Prescription/Service Reference Number Qualifier	1=Rx Billing	M
4Ø2-D2	Prescription/Service Reference Number		M
551-9F	Preferred Product Count	Maximum count of 6	RW (Based on benefit and when preferred alternatives are available for the submitted product service ID)
552-AP	Preferred Product ID Qualifier		RW (If Preferred Product ID (553-AR) is used)
553-AR	Preferred Product ID		RW (If a product preference exists that needs to be communicated to the receiver via an ID)
556-AU	Preferred Product Description		RW (If a product preference exists that either cannot be communicated by the Preferred Product ID (553-AR) or to clarify the Preferred Product ID (553-AR)

Response Pricing Segment – Mandatory
(This segment will not be included with a rejected response)

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	23=Response Pricing	M
5Ø5-F5	Patient Pay Amount		R
5Ø6-F6	Ingredient Cost Paid		R
5Ø7-F7	Dispensing Fee Paid		R
557-AV	Tax Exempt Indicator		RW (If sender and/or patient is tax exempt and exemption applies to this billing)

Express Scripts
NCPDP Version D.0 Payer Sheet
Commercial

Field #	NCPDP Field Name	Value	Payer Usage
558-AW	Flat Sales Tax Amount Paid		RW (If Flat Sales Tax Amount Submitted (481-HA) is greater than zero (Ø) or if Flat Sales Tax Amount Paid (558-AW) is used to arrive at the final reimbursement)
559-AX	Percentage Sales Tax Amount Paid		RW (If Percentage Tax Amount Submitted (482-GE) is greater than zero (Ø) or Percentage Sales Tax Rate Paid (56Ø-AY) and Percentage Sales Tax Basis Paid (561-AZ) are used)
56Ø-AY	Percentage Sales Tax Rate Paid		RW (If Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø)
561-AZ	Percentage Sales Tax Basis Paid		RW (If Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø)
521-FL	Incentive Amount Paid		RW (If Incentive Amount Submitted (438-E3) is greater than zero (Ø)
563-J2	Other Amount Paid Count		O
564-J3	Other Amount Paid Qualifier	Occurs up to 3 times	O
565-J4	Other Paid Amount	Occurs up to 3 times	O
566-J5	Other Payer Amount Recognized		O
5Ø9-F9	Total Amount Paid		R
522-FM	Basis of Reimbursement Determination		R

Confidential Information

Express Scripts
NCPDP Version D.0 Payer Sheet
Commercial

Field #	NCPDP Field Name	Value	Payer Usage
523-FN	Amount Attributed to Sales Tax		RW (If Patient Pay Amount (5Ø5-F5) includes sales tax that is the financial responsibility of the member but is not also included in any of the other fields that add up to Patient Pay Amount)
512-FC	Accumulated Deductible Amount		O
513-FD	Remaining Deductible Amount		O
514-FE	Remaining Benefit Amount		O
517-FH	Amount Applied to Periodic Deductible		RW (Patient Pay Amount (5Ø5-F5) includes deductible)
518-FI	Amount of Co-pay		RW (Patient Pay Amount (5Ø5-F5) includes co-pay as patient financial responsibility)
52Ø-FK	Amount Exceeding Periodic Benefit Maximum		RW (Patient Pay Amount (5Ø5-F5) includes amount exceeding periodic benefit maximum)
571-NZ	Amount Attributed to Processor Fee		RW (If customer is responsible for 100% of the prescription payment and when the provider net sale is less than the amount the customer is expected to pay)
575-EQ	Patient Sales Tax Amount		RW (Used when necessary to identify Patient's portion of the Sales Tax)

Confidential Information

Express Scripts
NCPDP Version D.0 Payer Sheet
Commercial

Field #	NCPDP Field Name	Value	Payer Usage
574-2Y	Plan Sales Tax Amount		RW (Used when necessary to identify Plan's portion of Sales Tax)
572-4U	Amount of Coinsurance		RW (Patient Pay Amount (5Ø5-F5) includes coinsurance as patient financial responsibility)
392-MU	Benefit Stage Count		RW (Required if Benefit Stage Amount (394-MW) is used.)
393-MV	Benefit Stage Qualifier		RW (Required if Benefit Stage Amount (394-MW) is used)
394-MW	Benefit Stage Amount		RW (Required when a Medicare Part D payer applies financial amounts to Medicare Part D beneficiary benefit stages. This field is required when the plan is a participant in a Medicare Part D program that requires reporting of benefit stage specific financial amounts.
577-G3	Estimated Generic Savings		RW (Patient selects brand drug when generic was available)
128-UC	Spending Account Amount Remaining		RW (If known when transaction had spending account dollars reported as part of patient pay amount)

Confidential Information

Express Scripts
NCPDP Version D.0 Payer Sheet
Commercial

Field #	NCPDP Field Name	Value	Payer Usage
129-UD	Health Plan-Funded Assistance Amount		RW (Patient meets the plan-funded assistance criteria to reduce Patient Pay Amount (5Ø5-F5)
134-UK	Amount Attributed to Product Selection/Brand Drug		RW (Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to patient's selection of a Brand drug)
133-UJ	Amount Attributed to Provider Network Selection		RW (Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a cost share differential due to the selection of one pharmacy over another)
134-UK	Amount Attributed to Product Selection/Brand Drug		RW (Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a patient's selection of a Brand drug)
135-UM	Amount Attributed to Product Selection/Non-Preferred Formulary Selection		RW (Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a patient's selection of a non-preferred formulary product)
136-UN	Amount Attributed to Product Selection/Brand Non-Preferred Formulary Selection		RW (Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a patient's selection of a Brand non-preferred formulary product)

Confidential Information

Express Scripts
NCPDP Version D.0 Payer Sheet
Commercial

Field #	NCPDP Field Name	Value	Payer Usage
137-UP	Amount Attributed to Coverage Gap		RW (Required when the patient's financial responsibility is due to the coverage gap)
148-U8	Ingredient Cost Contracted/Reimbursable Amount		RW (Basis of Reimbursement Determination (522-FM) is "14" (Patient Responsibility Amount) or "15" (Patient Pay Amount) unless prohibited by state/federal/ regulatory agency)
149-U9	Dispensing Fee Contracted/Reimbursable Amount		RW (Basis of Reimbursement Determination (522-FM) is "14" (Patient Responsibility Amount) or "15" (Patient Pay Amount) unless prohibited by state/federal/ regulatory agency)

Response DUR/PPS Segment – Situational

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	24=Response DUR/PPS	M
567-J6	DUR/PPS Response Code Counter	Maximum 9 occurrences supported	RW (Reason for Service Code (439-E4) is used)
439-E4	Reason for Service Code	AT=Additive Toxicity DD=Drug-Drug Interaction ER=Overuse	O
528-FS	Clinical Significance Code		O
529-FT	Other Pharmacy Indicator		O
53Ø-FU	Previous Date of Fill		O
531-FV	Quantity of Previous Fill		O
532-FW	Database Indicator		O
533-FX	Other Prescriber Indicator		O
544-FY	DUR Free Text Message		O
57Ø-NS	DUR Additional Text		O

Express Scripts
NCPDP Version D.0 Payer Sheet
Commercial

Response Prior Authorization Segment – Situational

(Provided when the receiver has an opportunity to reprocess claim using a Prior Authorization Number)

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	26=Response Prior Authorization	M
498-PY	Prior Authorization Number - Assigned		RW (Receiver must submit this Prior Authorization Number in order to receive payment for the claim)

Response Coordination of Benefits/Other Payers Segment – Situational

(This segment will not be included with a rejected response)

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	28=Response Coordination of Benefits/Other Payers	M
355-NT	Other Payer ID Count	Maximum count of 9	M
338-5C	Other Payer Coverage Type		M
339-6C	Other Payer ID Qualifier		RW (Other Payer ID (34Ø-7C) is used)
34Ø-7C	Other Payer ID		RW*
991-MH	Other Payer Processor Control Number		RW*
356-NU	Other Payer Cardholder ID		RW*
992-MJ	Other Payer Group ID		RW*
142-UV	Other Payer Person Code		RW (Needed to uniquely identify the family members within the Cardholder ID, as assigned by other payer)

Confidential Information

Express Scripts
NCPDP Version D.0 Payer Sheet
Commercial

Field #	NCPDP Field Name	Value	Payer Usage
127-UB	Other Payer Help Desk Phone Number		RW (Needed to provide a support telephone number of other payer to the receiver)

*Will be returned when other insurance information is available for COB.

Section III: Reversal Transaction (In Bound)

Transaction Header Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
1Ø1-A1	BIN Number	BIN used on original claim submission	M
1Ø2-A2	Version Release Number	DØ=Version D.Ø	M
1Ø3-A3	Transaction Code	B2=Reversal	M
1Ø4-A4	Processor Control Number	PCN used on original claim submission	M
1Ø9-A9	Transaction Count	1=One occurrence per B2 transmission	M
2Ø2-B2	Service Provider ID Qualifier	Ø1=NPI	M
2Ø1-B1	Service Provider ID	NPI	M
4Ø1-D1	Date of Service		M
11Ø-AK	Software Vendor/Certification ID		O

Note: Reversal window is 9Ø days.

Insurance Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø4=Insurance	M
3Ø2-C2	Cardholder ID	ID assigned to the cardholder	M

Claim Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø7=Claim	M
455-EM	Prescription /Service Reference Number Qualifier	1=Rx Billing	M
4Ø2-D2	Prescription/Service Reference Number		M
436-E1	Product/Service ID Qualifier	Value used on original claim submission	R
4Ø7-D7	Product/Service ID		R
4Ø3-D3	Fill Number		R
3Ø8-C8	Other Coverage Code	Value used on original claim submission	R

Express Scripts
NCPDP Version D.0 Payer Sheet
Commercial

Coordination of Benefits/Other Payments Segment – Situational
(Will support only one transaction per transmission)

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	Ø5=COB/Other Payments	M
337-4C	Coordination of Benefits/Other Payments Count	Maximum count of 9	M
338-5C	Other Payer Coverage Type		M

Section IV: Reversal Response Transaction (Out Bound)

Response Header Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
1Ø2-A2	Version Release Number	DØ=Version D.Ø	M
1Ø3-A3	Transaction Code	B2=Reversal	M
1Ø9-A9	Transaction Count	1=One Occurrence, per B2 transmission	M
5Ø1-FI	Header Response Status	A=Accepted R=Rejected	M
2Ø2-B2	Service Provider ID Qualifier	Ø1=NPI	M
2Ø1-B1	Service Provider ID	NPI	M
4Ø1-D1	Date of Service		M

Response Message Segment – Situational

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	2Ø=Response Message	M
5Ø4-F4	Message		O

Response Status Segment – Situational

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	21=Response Status	M
112-AN	Transaction Response Status	A=Approved R=Rejected	M
547-5F	Approved Message Code Count	Maximum count of 5	RW (Approved Message Code (548-6F) is used)
548-6F	Approved Message Code		RW (Approved Message Code Count (547-5F) is used)

Express Scripts
NCPDP Version D.0 Payer Sheet
Commercial

Field #	NCPDP Field Name	Value	Payer Usage
51Ø-FA	Reject Count	Maximum count of 5	RW (Transaction Response Status=R)
511-FB	Reject Code		RW (Transaction Response Status=R)
549-7F	Help Desk Phone Number Qualifier		O
55Ø-8F	Help Desk Phone Number		O

Response Claim Segment – Mandatory

Field #	NCPDP Field Name	Value	Payer Usage
111-AM	Segment Identification	22=Response Claim	M
455-EM	Prescription/Service Reference Number Qualifier	1=Rx Billing	M
4Ø2-D2	Prescription/Service Reference Number		M

Confidential Information